



BNL-101556-2014-TECH

RHIC/PG/13;BNL-101556-2013-IR

Estimate Of Intrabeam Scattering For The Lattice: $\beta = 40\text{m}$, $\sigma = 2.0\text{m}$

A. G. Ruggiero

December 1983

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ESTIMATE OF INTRABEAM SCATTERING
FOR
THE LATTICE: $\beta = 40\text{m}$, $\bar{\eta} = 2.0\text{m}$

A. G. RUGGIERO

(BNL - December 6, 1983)

J. Claus lattice

Contribution from Regular Cell only

$$\bar{\beta} = 39.18424 \text{ m} \Rightarrow 40. \text{ m}$$

$$\bar{\eta} = 2.023605 \text{ m} \Rightarrow 2. \text{ m}$$

This corresponds to case # 82

The numbers in the following Tables correspond to

Gold : $A = 197$, $Z = 79$

Bunched Beam

Peak Current = 1. Amp-electric

E_N is normalized emittance
 σ_E/E r.m.s. energy spread

τ^{-1} are growth rates in hour⁻¹

$$\gamma = 100$$

$$E_N = 10\pi \text{ mm} \cdot \text{mrad}$$

σ_E/E	τ_E^{-1}	τ_H^{-1}	τ_V^{-1}
$.5 \times 10^{-3}$.3471	1.0204	-.0208
.8	.0923	.6946	-.0142
1.0	.0483	.5681	-.0116
1.2	.0283	.4793	-.0098

$$\gamma = 100$$


$$\sigma_E/E = 0.1\%$$

E_N	τ_E^{-1}	τ_H^{-1}	τ_V^{-1}
5. π mm·mrad	.0931	2.1901	-.0447
8.	.0598	.8788	-.0179
10.	.0483	.5681	-.0116
12.	.0405	.3971	-.0081

Variation of Diffusion Rates with emittance and energy spread -

LOGARITHMIC 2 X 2 GRID 14-000-00

GRAPHIC PAPERS GRAPHIC CONTROLS CORPORATION Buffalo, New York
FRENCHMAN, S.A.




mm.mrad

E_N

LOGARITHMIC 2 X 2 GRIDES AL-5000-50

GRAPHIC CONTROLS CORPORATION Buffalo, New York
REPRODUCED IN U.S.A.



σ_E / E

$\times 10^{-3}$

$$E_N = 10\pi \text{ mm. mrad.}$$

$$\sigma_E/E = 10^{-3}$$

γ	τ_E^{-1}	τ_H^{-1}	τ_V^{-1}
5	-2.9269	12.0445	13.7651
10	-.3359	.4011	.8022
12	-.0946	.0528	.1885
20	.1725	.2068	-.2068
40	.1480	.6214	-.0888
60	.0969	.6590	-.0388
80	.0667	.6198	-.0200
100	.0483	.5681	-.0116

Variation of Diffusion Rates with γ

Comparison with neighbouring lattices

$\gamma = 100$

$\delta E/E = 10^{-3}$

$\epsilon_N = 10 \pi \text{ mm} \cdot \text{mrad}$

$\bar{\beta}$ \ / \ $\bar{\eta}$	1.5 m	2.0 m	2.5 m	
35 m	.0589 .4423 -.0124	.0515 .6951 -.0108	.0451 .9579 -.0095	E H V
40 m	.0543 .3537 -.0130	.0483 .5681 -.0116	.0429 .7936 -.0103	E H V
45 m	.0502 .2875 -.0135	.0454 .4717 -.0123	.0407 .6580 -.0110	E H V

For a comparison with the lattice
 $\bar{\beta} = 30 \text{ m}$ and $\bar{\eta} = 0.5 \text{ m}$ see RHIC-PG-10

Comparison Between two lattices

$\frac{\beta}{\eta}$	30. m 0.5 m	40. m 2. m
α_E^{-1}	.0816 h^{-1}	.0483 h^{-1}
α_H^{-1}	.0669	.5681
α_V^{-1}	-.0147	-.0116

$\gamma = 100$
 $\sigma_E/E = 1 \times 10^{-3}$
 $E_N = 10\pi \text{ mm.mrad}$

"Gold"