



Brookhaven
National Laboratory

BNL-103894-2014-TECH

AGS.SN13;BNL-103894-2014-IR

Vertical Beam Size Measurements at J5

J. Herrera

April 1973

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.AT(30-1)-16 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Vertical Beam Size Measurements (data 4/25/73)

Measurements of the vertical beam size were made for the entire acceleration cycle.

Conditions

- 1) Vertical targets at 5-5 (β_V min)
- 2) Beam intensity $4.0 - 4.9 \times 10^{12}$ p/p
- 3) Size for 95% of beam
- 4) Vacuum $\sim (5 \times 10^{-7} \text{ Torr})$

Comments


- 1) During measurements machine ran well: intensity variation pulse to pulse were small.
- 2) Size at high energy is larger than before the conversion by about 1.4/1.
- 3) Size at injection is smaller by a ratio of $\frac{1.2}{2.2} \times 1.4 = 0.75$.
- 4) There is no sign of a change in vertical size in the vicinity of transition energy.

J. H. Evans
4/27/73

VERTICAL SIZE (INCHES)

INTEGRATION TRANSITION

100 200 300 400 500 600 700



VERTICAL BEAM SIZE (90%)
VS
TIME IN ACCELERATION CYCLE

100

- 1) VERTICAL TARGETS AT 2.5 (0.1 IN)
- 2) BEAM INTENSITY: 4.0-4.9 x 10¹² p/p
- 3) VOLTAGE: ~5 x 10⁶ V
- 4) SIZE FOR 95% OF BEAM
- 5) DATA ON 4/25/73

TIME METERS TO (MILLISECONDS)

1000