

## SEB Extraction Efficiency vs. F10 Magnet Position

L. Blumberg

August 1974

Collider Accelerator Department  
**Brookhaven National Laboratory**

**U.S. Department of Energy**

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.AT(30-1)-16 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

## **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

F10 Magnet  
movement study up

G10 on

~ 310"

Run

No. 68

€

Blumberg  
Glenn

8/16/74  
1300-1330

10 pulsed  
antenna

1.	1.573	1.670	
2.	1.557	1.659	
3.	1.533	1.637	5.87 ± .03
4.	1.514	1.616	5.87 ± .03
5.	1.494	1.598	5.82 ± .04
6.	1.469	1.572	5.64 ± .02
7.	1.441	1.545	5.44 ± .02
8.	1.515	1.616	5.85 ± .02
9.	1.573	1.675	5.86 ± .02
10.	1.598	1.697	5.83 ± .02
11.	1.619	1.720	5.79 ± .02
12.	1.646	1.748	5.79 ± .03
13.	1.680	1.780	5.66 ± .03
14.	1.714	1.814	5.41 ± .04
<hr/>			
15.	1.598	1.703	5.84 ± .03
16.	1.591	1.741	5.86 ± .02

1300 - 1330  
CBM ~ 6.5

Fri. Aug 16

Dum

17. 1.593 1.822 5.75 ± .05

18 1.591 1.855 5.75 ± .02

---

19 1.600 1.630 5.84 ± .02

20 1.605 1.575 5.87 ± .02

21 1.600 1.496 5.89 ± .02

22 1.443 5.85 ± .02

---

23 1.500 1.602 5.78 ± .02

24 1.500 1.641 5.80

25 1.500 1.673 5.83

26 1.517 1.520 5.85 ± .02

27 1.528 1.466 5.82