

Synchronization of MG set Frequency with Line

J. G. Cottingham

April 1974

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.AT(30-1)-16 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

4/8/74

J. G. Cottingham
Robert Gottschalk

Blumberg
no. 60

Study Report - Arnold Feltman, Power Line Freq.

The main A.G.S magnet P.S. is "sync"-ed. to the power line not like a scope is sync-ed but by a circuit that matches rotating frequency of the rotating machinery to that of the power line.

Phase ~~and~~ differences act to increase or decrease speed and thereby act to preserve a given phase position. However, due to the large inertia envelope correction can be only made slowly. The system cannot rapidly respond to a change in power line frequency. Therefore such changes will result in "sync" drift

Attached is plot of power ~~for~~ line average period (10 cycle average) vs time which shows large variation at some times.

This is one reason that the "sync" is good at some time and not so good at others. This type of error is fundamental and cannot be overcome. If ~~it is~~ the A.G.S. is sensitive to "sync" error induced by line freq. variation, it must be corrected at the source, better sync is not possible

