

Dipole Partial Snakes for AGS

E. D. Courant

September 1999

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Alternating Gradient Synchrotron Department
Relativistic Heavy Ion Collider Project
BROOKHAVEN NATIONAL LABORATORY
Upton, New York 11973

Spin Note

AGS/RHIC/SN No. 083

Dipole Partial Snakes for AGS

E.D. Courant
BNL

September 1, 1999

Dipole Partial Snakes for AGS

E D Courant

September 1, 1999

A helical partial snake has previously been proposed¹. But there may be practical difficulties in constructing the necessary short helix with sufficient field and aperture.

An alternative is to use dipoles. S Y Lee² has proposed a sequence of seven short dipoles, with alternate horizontal and vertical fields, that would just fit into a 10-foot straight section of the AGS.

If the dipoles have fields at odd angles, neither horizontal nor vertical, it would be possible to accomplish the job with fewer magnets. Four solutions, two with four and two with five magnets, are presented below, together with the seven-magnet version (one of these is essentially the same as I proposed before³).

Still another configuration, proposed by T. Roser⁴ employs six dipoles in the form of two interleaved horizontal and vertical three-bumps (rotated by 45 degrees).

The tables below show some of the parameters of these schemes. We see that, to keep the field for a 5% snake at full energy ($G\gamma = 41.5$, energy 20.8 GeV) at 2 Tesla or below and to fit into the ten-foot straight section of the AGS, some of the schemes require 15 cm spacing between the magnets, while 5 B and 4A can work with 20 cm spaces. At injection energy (1.5 GeV) the four-magnet scheme 4A requires the largest gap aperture (excursion along the field) The gaps between magnets are rather short (15 cm) to fit comfortably in the ten foot straight section of the AGS.


¹ T. Roser et al, Spin Note 72 (March 1998)

² S. Y Lee, private communication to T. Roser

³ E. D. Courant, Spin note 75 (Oct. 1998)

⁴ T. Roser, private communication


Partial (5.0%) snake for AGS with 4 dipoles. Energy 1.50 GeV; B=1.505 T



Four magnets (Scheme 4A)

Total length 2.741 m, space between magnets 0.2 m

	Magnet 1	Magnet 2	Magnet 3	Magnet 4
Length	.41	.66	.66	.41
Field (5% snake, 1.5 GeV)	1.505	1.505	1.505	1.505
Field for $G\gamma = 41.5$	1.932	1.932	1.932	V
Direction from vertical	60	212.59	-32.59	60
Xmax at 1.5 GeV (cm)	.84	2.16	2.16	.84
Ymax (cm)	1.46	5.24	5.24	1.46
R along B	0	4.04	4.04	0
R across B	1.69	4.23	4.23	1.69




Four magnets (Scheme 4B)

Total length 2.718 m, space between magnets 0.15 m

	Magnet 1	Magnet 2	Magnet 3	Magnet 4
Length	.383	.751	.751	.383
Field (5% snake, 1.5 GeV)	1.558	1.558	1.558	1.558
Field for $G\gamma = 41.5$	2.000	2.000	2.000	2.000
Direction from vertical	135	-21.10	201.10	45
Xmax at 1.5 GeV (cm)	1.07	2.72	2.72	1.07
Ymax (cm)	1.07	4.03	4.03	1.07
R along B	0	3.51	3.51	0
R across B	1.52	3.65	3.65	1.52


Partial (5.0 %) snake for AGS with 5 tilted dipoles; Energy 1.50 GeV; B=1.511 T



Five magnets (scheme 5A)
Total length 2.72 m, space between magnets 0.15 m

	Magnet 1	Magnet 2	Magnet 3	Magnet 4	Magnet 5
Length	0.210	0.497	0.704	0.497	0.210
Field (5% snake, 1.5 GeV)	1.508	1.508	1.508	1.508	1.508
Field for $G\gamma = 41.5$	1.936	1.936	1.936	1.936	1.936
Direction from vertical	180	45	-90	135	0
Xmax at 1.5 GeV (cm)	.44	1.70	1.00	1.70	.44
Ymax (cm)	0	1.75	4.05	1.75	0
R along B	0	2.25	1.00	2.25	0
R across B	.44	.98	4.05	.98	.44


Partial (5.0 %) snake for AGS with 5 tilted dipoles; Energy 1.50 GeV; B=1.494 T



Five magnets (scheme 5B)
Total length 2.63 m, space between magnets 0.20 m

	Magnet 1	Magnet 2	Magnet 3	Magnet 4	Magnet 5
Length	.30	.403	.424	.403	.3
Field (5% snake, 1.5 GeV)	1.494	1.494	1.494	1.494	1.494
Field for $G\gamma = 41.5$	1.918	1.918	1.918	1.918	1.918
Direction from vertical	180	45	-90	135	0
Xmax at 1.5 GeV (cm)	.63	1.90	.81	1.90	.63
Ymax (cm)	.63	3.18	4.47	3.18	.63
R along B	0	3.18	.81	3.18	0
R across B	.90	1.90	4.47	1.90	.90


Partial (5.0%) snake for AGS with 6 tilted dipoles, Energy 1.50 GeV, B=1.530 T



Six magnets (T. Roser)
Total length 2.75 m, spaces 0.15 and 0.35 m

	Magnet 1	Magnet 2	Magnet 3	Magnet 4	Magnet 5	Magnet 6
Length	.2	.2	.4	.4	.2	.2
Field (5% snake, 1.5 GeV)	1.530	1.530	1.530	1.530	1.530	1.530
Field for $G\gamma = 41.5$	1.964	1.964	1.964	1.964	1.964	1.964
Direction from vertical	45	135	225	315	45	135
Xmax at 1.5 GeV (cm)	.28	1.56	1.56	1.56	1.56	.28
Ymax (cm)	.28	2.13	4.12	4.12	2.13	.28
R along B	0	2.61	2.61	2.61	2.61	0
R across B	.40	.40	3.21	3.21	.40	.40

Partial (5.0%) snake for AGS with 7 dipoles. Energy 1.50 GeV, B=1.519 T



Seven magnets (S Y Lee)
Total length 2.61 m; space between magnets 0.15 m

	Magnet 1	Magnet 2	Magnet 3	Magnet 4	Magnet 5	Magnet 6	Magnet 7
Length	.154	.160	.379	.320	.379	.160	.154
Field (5% snake, 1.5 GeV)	1.519	1.519	1.519	1.519	1.519	1.519	1.519
Field for $G\gamma = 41.5$	1.950	1.950	1.950	1.950	1.950	1.950	1.950
Direction from vertical	180	-90	0	90	180	-90	0
Xmax at 1.5 GeV (cm)	.24	1.21	1.92	$\pm .72$	1.92	1.21	.24
Ymax (cm)	0	.26	1.97	2.72	1.97	.26	0
R along B	0	.1.21	1.97	.72	1.97	1.21	0
R across B	.24	.26	1.92	2.72	1.92	.26	.24