

BNL-105099-2014-TECH

Booster Technical Note No. 52;BNL-105099-2014-IR

# Heavy ion acceleration RF program for the Booster

Y. Y. Lee

July 1986

Collider Accelerator Department Brookhaven National Laboratory

## **U.S. Department of Energy**

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

### DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

HEAVY ION ACCELERATION RF PROGRAM FOR THE BOOSTER

Booster Technical Note No. 52

> Y. Y. LEE JULY 10, 1986

ACCELERATOR DEVELOPMENT DEPARTMENT Brookhaven National Laboratory Upton, N.Y. 11973

#### HEAVY ION ACCELERATION RF PROGRAM FOR THE BOOSTER

#### Y. Y. LEE

In this note we propose a senaric for the RF program for heavy ion acceleration at the Booster. A third harmonic system(h=3) is assumed for the acceleration system, also the frequency range is covered by the three different cavities each covering a certain frequency range. i) CAPTURE

Since the heavy ions from the Tandem Van de Graaff have virtually no energy spread, and so called addiabatic capture takes too long (>100 msec), We propose to capture the heavy ions with RF voltage which gives reasonable synchrotron period of 2.5 milli-seconds. The corresponding bunch size is 0.05 eV/amu/bucket at 0 degree phase angle. The RF voltage should be on this level about a 1/4 of the synchrotron periods(.7 m-sec). At this point the RF level should be increased twice of the capture volatage which gives the size of the bucket 1.4 times of the bunch size. The table gives the bunching voltage and corresponding momentum spreads for the represetative ion speces.

ii) ACCELERATION

The energy gain per turn for the ions in the synchrotron is given by

 $\Delta E/Q/turn = Cm (dB f'/dt) = eV sin \phi_s$ 

where Q ; Charge state of the ion

Cm; Circumference of the machine

- P; Bending radius of the machine
- V ; Peak RF voltage

 $\Phi_{\rm S}$ ; Stable phase angle

After the ions are bunched and established the bucket, the power supply for the magnets are adjusted to give a linear rise of dB/dt to

1

(parabolic rise of the magnetic field) the final value of the dB/dt. At the same time RF voltage rises linearly to its final value listed in the table.

The final dB/dt required is about 2.55 Tesla/sec which is equivalent to dP/dt of 10.5 GeV/c/sec. We propose the time required for this change should be about 20 milli-secons which is about 10 synchrotron periods. The radial and phase loop should keep the appropriate stable phase angle and frequencies. Since the RF voltage required for the given bucket size depends on mass and the charge of the ions, final required RF voltage for each speces of the ions are diferent. The table gives the relevant information about representative ions. The figure shows, the dB/dt and B in function of time.

#### TABLE

Ion	EinJ MeV/amu	Q	B <sub>in</sub> ] K-g	f <sub>in</sub> j MHz	V <sub>bunch</sub> KV	<b>⊿</b> ₽/₽ %	Vacc* KV
Carbon	7.5	6	.576	.562	.288	.15	11.3
Sulfer	4.7	14	.519	.448	.332	.19	11.7
Copper	2.9	21	.531	.349	.445	.24	12.4
Iodine	1.65	29	.590	.265	.642	.31	13.5
Gold	1.	33	.645	.213	.877	.40	14.6

\* From 20 m-sec to the end of the cycle

Abunch ; .05 eV-sec/amu/bunch Abucket; .071 eV-sec/amu/bucket dB/dt ; 2.55 Tesla/sec

Ē

