

## Analysis of resonances in the AGS Booster

Z. Parsa

May 1986

Collider Accelerator Department  
**Brookhaven National Laboratory**

**U.S. Department of Energy**

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

## **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ANALYSIS OF RESONANCES IN THE AGS BOOSTER

*Booster Technical Note*

*No. 34*

Z. PARSA AND S. TEPIKIAN

MAY 17, 1986

ACCELERATOR DEVELOPMENT DEPARTMENT  
*Brookhaven National Laboratory*  
Upton, N.Y. 11973

## ABSTRACT

THE FOURTH ORDER STRUCTURE RESONANCES OF THE BOOSTER LATTICE ARE INVESTIGATED. THESE RESONANCES ARE CROSSED AT INJECTION BECAUSE OF THE SPACE CHARGE TUNE SHIFT. THE STOP BANDWIDTHS WERE OBTAINED USING HARMON (THROUGH PROGRAM MAD403).

## I. INTRODUCTION

-----

We have studied the nonlinear effects on the Dynamical systems with the emphasis on nonlinear resonances. Some of our results were incorporated into a program "NONLIN" that we have used to study (specifically the fourth order) resonances of the AGS - Booster [1]. In this paper we present some of our findings for the booster [2,3] using the alternate program (MAD403) Harmon [4]. This program is based on "finding the adverse effects of a particular quadrupole - sextupole configuration and then adjusting the sextupole strengths to minimize these effects". The functions to be minimized are chromatic effects (variation of particle motion with respect to the variation in particle momentums) and - non chromatic effects (due to presence of nonlinear elements (chromaticity correction sextupoles)).

## SECTION II

-----

The fourth order structure resonances of the booster lattice are investigated. These resonances are crossed at injection because of space charge tune shift. Calculations of space charge shows that we can expect a tune shift as large as 1. Since the booster has a periodicity of 6 and the operating tunes of  $Q_x = 4.82$  and  $Q_y = 4.83$  then at least three (possibly four) fourth order resonances may be crossed.

The fourth order resonances investigated are:

$$4 Q_x = 18 \quad (1a)$$

$$2 Q_x + 2 Q_y = 18 \quad (1b)$$

$$4 Q_y = 18 \quad (1c)$$

$$2 Q_x - 2 Q_y = 0. \quad (1d)$$

In this note, the stop bandwidths were obtained using HARMON (through MAD4.03) [4]. These stop bandwidth calculations assume that we are close to the resonance in question but far from all the others. This doesn't appear likely in this case. This problem as well as the results of our studies of the resonances in the alternate AGS - booster lattices are given elsewhere [1,5].

The method used to calculate stop bandwidths in HARMON are given in detail by Guignard [6]. The perturbing part of the hamiltonian near a given resonance can be expressed as:

$$G = f(r_1, r_2) + g(r_1, r_2) \cos \psi \quad (2)$$

where  $r_1$  and  $r_2$  are the actions (proportional to the square root of the emittance) and conjugate phase  $\psi$ . As long as the other resonances do not contribute to the dynamics then the Eq.(2) is an approximate invariant. The stop bandwidths are the limit at which the "emittances"  $r_1$  and  $r_2$  cannot grow without bounds. These results are given in the tables that follow.

The lattice includes the eddy current sextupoles and chromaticity correcting sextupoles [2] (for the lattice at the operating tunes  $Q_x = 4.82$  and  $Q_y = 4.83$ ). The resonances were calculated for the lattice tuned to the tunes of  $Q_x = 4.501$  and  $Q_y = 4.511$  close to the four resonances being investigated.

The lattice parameters are given in Table I. Tables II through IV gives the resonance strengths and stop bandwidths as calculated from HARMON. The stop bandwidths are of the order of .002 for the three resonances given by Eqs. (1a-c). In all, we may cross six resonances. Three on the way down as the tune is shifted due to the space charge and three on the return as the effect of the space charge diminishes and the tune returns back into its operating values. Since the strength is small and we expect to cross each resonance quickly, then each resonance would lead to a small growth in the emittance. However, the accumulative effect of crossing six resonances should be considered [1].

---

-----  
 REFERENCES:  
 -----

1. Z. Parsa, S. Tepikian and E. Courant, Fourth Order Resonances in the AGS - Booster Lattice, Booster Tech. Note No.
2. Booster Lattice with Enlarged  $Q_5$  and 1,2,4,7 Sextupole Configuration. Booster Tech. Note No.26, E. Courant and Z. Parsa, (April 21,1986).
3. Booster Parameters with Enlarged  $Q_5$ , Booster Tech. Note No. 25, Z. Parsa, (April 17, 1986).
4. M. Donald, D. Schofield, a Users Guide to the Harmon Program' LEP Note 420 (1982); M. Donald private communication (May 1986); using [PARSA1.MAD]MAD403.EXE.
5. Z. Parsa, S. Tepikian, Alternate AGS - Booster Lattices, Booster Tech. Note No. 32 (May 1986)

Table I

AGS BOOSTER LATTICE WITH CHROMATICITY SEXTUPOLES AND EDDY CURRENTS PARAMETERS AT START OF LATTICE			
TOTAL LENGTH = 201.780000		NSUP = 6	
QX = 4.501049	QY = 4.5109		
QX' = 1.699386	QY' = 0.010820		
ALFA = 0.494546E-01	GAMMA (TR) = 4.496729		
BETAX = 3.98217E+00	BETAY = 1.37381E+01		
	ETAX = 8.51585E-01		
BETAX (MAX) = 14.176944	BETAY (MAX) = 13.812846		
DX (MAX) = 2.890904	DY (MAX) = 0.000000		
-2			
NORMALIZED STRENGTHS [m ]			
ID	STRENGTH		
SFCH	5.90305E-02		
SDCH	-8.04138E-01		
SFED	1.35000E-01		
Q SHIFT EFFECTS [PERTURBATION OF TUNES]			
	G22000	DQXDEX	DQX
3.76592E+00	-8.91030E-17	7.53183E+00	5.14424E-04
	G00220	DQYDEY	DQY
3.74536E+01	3.32694E-16	7.49072E+01	5.11616E-03
	G11110	DQXDEY	DQYDEX
-5.44314E+00	1.24852E-15	-5.44314E+00	-5.44314E+00
		DQX	DQY
		-3.71766E-04	-3.71766E-04

\*\*

[IN THE FOLLOWING TABLES COS, SIN, DE, DQ, DQ(20) ARE  
THE RESONANCE STRENGTHS; AND DE = STOPBAND WIDTH.]

Table II

AGS BOOSTER LATTICE WITH CHROMATICITY SEXTUPOLES AND EDDY CURRENTS   [EX0 = 6.8300E-05 EY0 = 6.8300E-05]				
RESONANCE EFFECTS, DELTA(P)/P = 0.000000 FOURTH ORDER EFFECTS OF SEXTUPOLES				
COS	SIN	DE	DQ	DQ(20)
-----				
4Qx = 18				
-----				
1.3792E+00	-1.0106E+00	1.8685E-03	1.1277E-03	1.6315E-03
4Qy = 18				
-----				
3.4649E+00	-8.1212E-01	3.8891E-03	2.3473E-03	3.3959E-03
2Qx+2Qy=18				
-----				
1.1083E+01	-2.7383E+00	6.2380E-03	5.3245E-03	7.7031E-03
2Qx-2Qy= 0				
-----				
-3.7045E+01	3.0767E+00	3.7173E+01		
FOURIER ANALYSIS. ORDER OF RESONANCE				
-----				
4Qx = 18				
-----				
COSINE	SINE	MODULUS	RANDOM	DE(S)
-1.4047E-01	7.4337E-02	1.5893E-01	2.1098E-01	4.1929E-04
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
5.5663E-04	1.0482E-04	1.3916E-04	1.5165E-04	2.0132E-04
2Qx+2Qy=18				
-----				
COSINE	SINE	MODULUS	RANDOM	DE(S)
8.6603E-01	1.0192E+00	1.3375E+00	1.7686E+00	1.7643E-03
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
2.3330E-03	6.2378E-04	8.2483E-04	9.0245E-04	1.1933E-03
4Qy = 18				
-----				
COSINE	SINE	MODULUS	RANDOM	DE(S)
5.9395E-01	5.4899E-01	8.0881E-01	7.1490E-01	2.1338E-03
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
1.8861E-03	5.3346E-04	4.7152E-04	7.7177E-04	6.8217E-04
2Qx-2Qy= 0				
-----				
COSINE	SINE	MODULUS	RANDOM	
1.8614E-01	0.0000E+00	1.8614E-01	1.7686E+00	

Table III

AGS BOOSTER LATTICE WITH CHROMATICITY SEXTUPOLES AND EDDY CURRENTS   [EXO = 1.0000E-04, EYO = 5.0000E-05]				
RESONANCE EFFECTS,		DELTA(P)/P = 0.000000		
COS	SIN	DE	DQ	DQ(20)
-----				
4Qx = 18				
1.3792E+00	-1.0106E+00	2.7357E-03	1.6511E-03	2.3887E-03
4Qy = 18				
3.4649E+00	-8.1212E-01	2.8471E-03	1.7184E-03	2.4860E-03
2Qx+2Qy=18				
1.1083E+01	-2.7383E+00	6.8500E-03	5.8468E-03	8.4588E-03
2Qx-2Qy=0				
-3.7045E+01	3.0767E+00	3.7173E+01		
FOURIER ANALYSIS. ORDER OF RESONANCE				
-----				
4Qx = 18.				
COSINE	SINE	MODULUS	RANDOM	DE(S)
-1.4047E-01	7.4337E-02	1.5893E-01	2.1098E-01	6.1389E-04
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
8.1498E-04	1.5347E-04	2.0374E-04	2.2203E-04	2.9476E-04
2Qx+2Qy=18.				
COSINE	SINE	MODULUS	RANDOM	DE(S)
8.6603E-01	1.0192E+00	1.3375E+00	1.7686E+00	1.9374E-03
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
2.5618E-03	6.8497E-04	9.0574E-04	9.9097E-04	1.3104E-03
4Qy = 18.				
COSINE	SINE	MODULUS	RANDOM	DE(S)
5.9395E-01	5.4899E-01	8.0881E-01	7.1490E-01	1.5621E-03
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
1.3807E-03	3.9053E-04	3.4519E-04	5.6499E-04	4.9939E-04
2Qx-2Qy=0.				
COSINE	SINE	MODULUS	RANDOM	
1.8614E-01	0.0000E+00	1.8614E-01	1.7686E+00	

Table IV

AGS BOOSTER LATTICE WITH CHROMATICITY SEXTUPOLES AND EDDY CURRENTS   [EXO = 5.0000E-05 EYO = 5.0000E-05]				
RESONANCE EFFECTS,		DELTA(P)/P = 0.000000		
COS	SIN	DE	DQ	DQ(20)
-----				
4Qx = 18				
1.3792E+00	-1.0106E+00	1.3678E-03	8.2557E-04	1.1944E-03
4Qy = 18				
3.4649E+00	-8.1212E-01	2.8471E-03	1.7184E-03	2.4860E-03
2Qx+2Qy=18				
1.1083E+01	-2.7383E+00	4.5666E-03	3.8979E-03	5.6392E-03
2Qx-2Qy= 0				
-3.7045E+01	3.0767E+00	3.7173E+01		
FOURIER ANALYSIS. ORDER OF RESONANCE				
-----				
4Qx = 18				
COSINE	SINE	MODULUS	RANDOM	DE(S)
-1.4047E-01	7.4337E-02	1.5893E-01	2.1098E-01	3.0694E-04
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
4.0749E-04	7.6736E-05	1.0187E-04	1.1102E-04	1.4738E-04
2Qx+2Qy=18				
COSINE	SINE	MODULUS	RANDOM	DE(S)
8.6603E-01	1.0192E+00	1.3375E+00	1.7686E+00	1.2916E-03
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
1.7079E-03	4.5665E-04	6.0383E-04	6.6065E-04	8.7358E-04
4Qy = 18				
COSINE	SINE	MODULUS	RANDOM	DE(S)
5.9395E-01	5.4899E-01	8.0881E-01	7.1490E-01	1.5621E-03
DE(R)	DQ(S)	DQ(R)	DQ20(S)	DQ20(R)
1.3807E-03	3.9053E-04	3.4519E-04	5.6499E-04	4.9939E-04
2Qx-2Qy= 0				
COSINE	SINE	MODULUS	RANDOM	
1.8614E-01	0.0000E+00	1.8614E-01	1.7686E+00	





Fig. 1a Standard AGS - Booster

- ↑ = FOCUSING QUADRUPOLE
- ↓ = DEFOCUSING QUADRUPOLE
- = BENDING MAGNET (DIPOLE)
- X = SEXTUPOLE





Fig. 1b      AGS - BOOSTER LATTICE

0    5  
  
 METERS

NOTE: ALL DIMENSIONS ARE IN METERS