

SURVEY OF AVAILABLE BELLOWS SEALED VACUUM VALVES

J. C. Schuchman

February 1966

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.AT-30-2-GEN-16 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Accelerator Department
BROOKHAVEN NATIONAL LABORATORY
Associated Universities, Inc.

AGS DIVISION TECHNICAL NOTE

No. 10

J.C. Schuchman
February 3, 1966

SURVEY OF AVAILABLE BELLOWS SEALED VACUUM VALVES

I. Gate Valves (all metal) Bellows Sealed, S/S

<u>Mfg.</u>	<u>Nom. Size</u>	<u>Seal Material</u>		<u>Price</u>	
		<u>Bonnet</u>	<u>Seat</u>	<u>Manual</u>	<u>Automatic</u>
Vacuum Eng'rg Co.	1"	Alum.	OFHC Cu	\$995/1145	--
	2	O-Ring	or Lead	\$1825/2075	--
	4	"		\$3500/3850	plus
	6	"		\$4985/5360	\$3000/3500
	12	"		\$12,900/13,380	--
High Voltage Eng'rg	4	Gold	OFHC Cu	\$3600	--
	6	"	"	\$7660	--
Arco	2	--	--	--	\$1875
	4	--	--	--	~ \$2500
	6	--	Gold	--	\$6400
Whittaker Corp.	4	Alum.	OFHC Cu	--	\$3750
	6	foil	"	--	\$5800
	12	"	"	--	\$10,000

II. Gate Valves (Elastomer Seal) Bellows Sealed, S/S

Whittaker Corp.	2	Alum.	Viton	\$690	--
	3	foil	"	\$765	--
	5	"	"	\$895	--
	6	"	"	\$1590	--
	12	"	"	\$2995	--

II. Gate Valves (Elastomer Seal) Bellows Sealed, S/S

<u>Mfg.</u>	<u>Nom. Size</u>	<u>Seal Material</u>		<u>Price</u>	
		<u>Bonnet</u>	<u>Seat</u>	<u>Manual</u>	<u>Automatic</u>
CHA	2	Viton	Viton	\$745	\$ 745
	4	"	"	930	930
	6	"	"	1240	1282
	10	"	"	2160	2160
Varian	4	"	"	1250	--
	6	"	"	1250	--
Ultek	6	"	"	975	1500

III. Angle Valves, Bellows Sealed, S/S

Granville Phillips Co.	4	Welded	OFHC Cu	\$2443	--
	6	"	"	3280	--
West'hse Electric Corp.	4	Viton	Viton	625	--
	6	"	"	928	--
Varian	1½	Cu	Cu	375	--
	2½	"	"	850	--
	4	"	"	1950	--
	1	Viton	Viton	235	--
	1½	"	"	275	--
	2½	"	"	550	--
	4	"	"	750	--
	6	"	"	950	--
Ultek	1	Cu	Viton	195	--
	2	"	"	345	--
	3	"	"	495	--

JCS/hm
2/3/66

Distribution: J.P. Blewett, V. Buchanan, R. Dryden, C. Flatau, C. Gould,
G.K. Green, J. Grisoli, D. Hooper, C. Lasky, I. Polk,
A. van Steenberg