

Re-visit local coupling correction in the interaction regions of RHIC

Y. Luo,

November 2011

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Re-visit local coupling correction in the interaction regions of RHIC

Y. Luo, W. Fischer, C. Liu, A. Marusic, M. Minty, V. Ptitsyn,
V. Schoefer, S. Tepikian, D. Trbojevic, C. Zimmer



**Collider-Accelerator Department
Brookhaven National Laboratory
Upton, NY 11973**

Notice: This document has been authorized by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this document, or allow others to do so, for United States Government purposes.

RE-VISIT LOCAL COUPLING CORRECTION IN THE INTERACTION REGIONS OF RHIC*

Y. Luo, W. Fischer, C. Liu, A. Marusic, M. Minty, V. Ptitsyn, V. Schoefer,
S. Tepikian, D. Trbojevic, C. Zimmer, Brookhaven National Laboratory, Upton, NY USA

Abstract

In this article we will re-visit the local coupling correction in the interaction regions (IRs) of the Relativistic Heavy Ion Collider (RHIC). We will review the measurement data of triplet quadrupole rolls, the local coupling correction strengths in the RHIC control system, and the methods for the local coupling correction with local skew quadrupole correctors. Based on the in-tunnel measurement data of triplet roll errors in 2011, we will analytically calculate and simulate IR-bump method to find out the local skew correction strengths and compare them at store and at injection with the Blue and Yellow ring lattices in the 2011 polarized proton (p-p) and Au-Au runs. The vertical dispersion from the triplet roll errors, local and global coupling correction skew quadrupoles, and the vertical dipole correctors are calculated and discussed.

INTRODUCTION

The roll errors of normal quadrupoles and the vertical closed orbits in the normal sextupoles are the main sources of the betatron coupling in RHIC. There are 3 families of 48 skew quadrupoles for the global coupling correction. And there are 12 local skew quadrupole correctors in the 6 interaction regions for the local coupling correction. Global coupling correction aims at reducing the eignmode tune split and guarantees a robust tune feedback. The local coupling correction will reduce cross-talk of orbit and dispersion between the horizontal and vertical planes.

The global coupling is measured with the global coupling coefficient C^- , which is defined as

$$C^- = |C^-| e^{i\chi} = \frac{1}{2\pi} \int_0^L \sqrt{\beta_x \beta_y} k_s e^{i[\Phi_x - \Phi_y - 2\pi \Delta \cdot s / L]} dl. \quad (1)$$

For the RHIC p-p runs, the minimum tune split or $|C^-|$ should be smaller than 10^{-4} to maintain the proton polarization. From Eq. (1), to correct the global coupling we only need two orthogonal skew quadrupoles or families. The local coupling can be measured with the eignmode projections in x and y planes. It also can be measured by other methods, like coupling resonance driving terms, action-angle jump and so on. The orbit leakage in one plane from a local orbit bump in another plane and the vertical dispersion can be used as the observables of local coupling.

In RHIC, the global tune and coupling feedback had been successfully demonstrated in 2006 and has been implemented in the routine RHIC operations since then [1, 2]. With tune and coupling feedback, the coupling coefficient or $|\Delta Q_{min}|$ is corrected to below 10^{-4} . After global coupling is corrected, the local coupling may still exist. In the 2011 RHIC proton run, we measured the vertical dispersion with a maximum 0.5 m. Simulations show that the global coupling correction could introduce the same order of magnitude of the measured vertical dispersion [3]. Therefore, the best approach to correct both the local and global coupling is to correct the local coupling with the local skew quadrupole correctors first, followed by the global coupling feedback with the global skew quadrupoles. The local coupling in RHIC is corrected with the local skew quadrupole correctors. Their strengths haven't been changed since 2004, although β^* functions at IPs have been continuously reduced in the past 6 years. In this article we will re-visit the local coupling correction and investigate their impact on vertical dispersion.

MAGNET ROLL MEASUREMENTS

The magnet roll errors of RHIC triplet quadrupoles were first measured in the RHIC tunnel in 2001. In 2004, the rolls of the triplets in Sector 5 were slightly adjusted to cancel their contributions to global coupling. Since then, there is no in-tunnel IR magnet roll measurement and adjustment in RHIC. Table 1 lists the triplet roll errors from the measurements in 2001 and after 2004 adjustment [4]. In Table 1, the measurements of the triplet roll errors were not available in every sectors since it was found with beam that in some sectors the required local coupling correction strengths were small and therefore the measurement was not performed there. The roll errors are in units of mrad. In the magnet measurement and alignment, the magnet rolls are always observed from the interaction points (IPs). And the roll angles in the counter-clockwise direction are defined positive, no matter in the outer ring or in the inner ring, and no matter in the Blue ring or in the Yellow ring.

To model these measurements of triples rolls in accelerator codes, we need to know the definitions of positive roll angles in these codes. As we know, a normal quadrupole will change to a skew quadrupole by a roll angle of 45° in the direction from positive x axis to positive y axis. The new skew quadrupole strength $K_{1S} = -K_1$, where K_1 is the strength of the un-rolled normal quadrupole. In SimTrack [5], we define a positive roll angle for magnets if the magnet is rolled in the direction from positive x axis to the positive y axis direction. In the following study, we will

*This work was supported by Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy.

model these roll errors and do simulation calculation with SimTrack.

Table 1: Triplets roll errors [mrad] after 2004 adjustment

Sector	Triplet	Blue Ring	Yellow Ring
5	Q1	1.35	-4.91
	Q2	1.33	-2.35
	Q3	1.37	-2.15
6	Q1	1.59	-0.55
	Q2	-1.63	-0.10
	Q3	-3.69	1.00
7	Q1	-0.89	-
	Q2	1.23	-
	Q3	-1.32	-
8	Q1	4.67	1.02
	Q2	-2.10	-1.89
	Q3	0.17	1.37
1	Q1	4.72	6.97
	Q2	2.40	2.01
	Q3	1.38	-0.70
2	Q1	1.26	3.27
	Q2	3.21	-1.65
	Q3	-0.87	-0.69

ONLINE CORRECTION STRENGTHS

Here we list the strength settings for the local skew quadrupole correctors in the RHIC control system. The same correction strengths have been used at injection, at store in the p-p and Au-Au runs. The correction strengths of local skew quadrupole correctors were found with beam in 2001-2004. Adjustment of triplet rolls in sector 5 was done in 2004. After the adjustment, the correction strengths for the local coupling correctors bi5qs3 and yo5qs3 were close to zero. Since then, the same set of strengths of the local skew quadrupole correctors have been used at store, at injection, and for the p-p and Au-Au runs.

In Table 2, the strength signs of the local skew quadrupole correctors in the Blue ring are different from that in the RHIC control system. From the convention of RHIC's magnet polarity definition, a positive quadrupole rolls 45° in clockwise direction will give a positive skew quadrupole. As mentioned above, according to the normal magnet strength definition as in MADX, it actually will give a skew quadrupole with a negative strength. In the Yellow ring, we still use the right-hand coordinate system, that is, the positive x axis points out, the positive y axis points down and the proton beam circulates counter-clockwise. In Table 2, the strength signs of the local skew quadrupole correctors in the Yellow ring are the same as that in the control system.

Table 2: Online local skew quadrupole strengths [10^{-3}m^{-1}]

Blue ring		Yellow ring	
Name	Strength	Name	Strength
bi5qs3	0	yo5qs3	-0.26
bo6qs3	0.1	yi6qs3	0.07
bo7qs3	0.9	yi7qs3	0.36
bi8qs3	-1.4	yo8qs3	-1.1
bi9qs3	-0.35	yo9qs3	0.70
bo10qs3	-0.65	yi10qs3	1.00
bo11qs3	-0.5	yi11qs3	0.30
bi12qs3	0.32	yo12qs3	0.35
bi1qs3	0.2	yo1qs3	0.20
bo2qs3	-1.2	yi2qs3	0.76
bo3qs3	-0.32	yi3qs3	0.40
bi4qs3	-0.32	yo4qs3	0.50

CORRECTION METHODS

There are several ways for the local coupling correction in the RHIC IRs [6]. For example, knowing the triplet roll errors in the one sector in RHIC, it is straightforward to analytically calculate the strengths of the local skew quadrupole correctors based on Eq. (1). The skew quadrupole strength from a normal quadrupole with a roll angle θ is given by $-2\theta K_1$ when $\theta \ll 1$. Considering the large β s in the IRs, the phase advances in triplets are close to zero. To locally cancel their contributions to the global coupling coefficient C^- with a local skew quadrupole corrector, we have

$$\sum_{i=1}^N \sqrt{\beta_{x,s}\beta_{y,s}} K_{1s,s} = 0. \quad (2)$$

The summation is taken across one sector in RHIC.

With beam, it is possible to localize and to correct the local coupling with IR-bump method [6], action-angle jump [7], and coupling resonance driving term [8]. Among them, IR-bump method is an easy and efficient way to find out the strength for the local skew quadrupole corrector. For this method, we minimize the transverse orbit leakage in one plane from a local orbit bump in another plane by adjusting the strength of local skew quadrupole corrector's strength.

For example, a vertical offset in a skew quadrupole will generate a horizontal closed orbit in the ring,

$$x_s = -\frac{\sqrt{\beta_{x,s}\beta_{x,0}}}{2 \sin(\pi Q_x)} (\Delta y K_{1s}) \cos(\pi Q_x - |\Phi_{x,s} - \Phi_{x,0}|). \quad (3)$$

To minimize the closed orbit leakage in the horizontal plane from this vertical local bump, we have

$$\sum_{i=1}^N \sqrt{\beta_{x,s}} \Delta y(s) K_{1s} = 0. \quad (4)$$




Figure 1: Example of IR-bump method: orbit leakages versus the strength of bo2-qs3.

Here we ignored the phase advances in the IR. The summation is taken cross the local bump. Comparing Eq. (4) with Eq. (2), their weights before K_{1s} are different. However, if there is no coupling source or coupling sources are completely locally canceled in the bump, there will not be any net orbit leakage in the cross-plane. Both Eq. (2) and Eq. (4) can be used for local coupling correction although they use different observables. Of course, the correction strengths from the two methods may be slightly different.

For RHIC, the available local three bump in one sector will also cover the triplets in the opposite sector, although there the amplitudes of orbits are much smaller. Therefore, the triplet roll error in the opposite sector also will contribute to orbit leakage in another plane. In the following simulation, we will intentionally block the triplet errors in other sectors in our simulation. If we keep all the measured triplet errors in the simulation, the calculated correction strengths from IR-bump will be more or less different depending on sectors.

In the beam experiment, to achieve a better resolution in the correction strength scan, the amplitude of local three bump should be large enough to detect the orbit leakage in other plane. And the measurement of rms leakage orbit should have accuracy better than $20 \mu\text{m}$. Normally we will average the local skew quadrupole corrector strengths from the horizontal and vertical bumps. Fig. 1 gives one example of the IR-bump method in a simulation. Here the Blue ring lattice of 2011 RHIC 250 GeV p-p lattice is used. In the simulation, the amplitude of horizontal bump and vertical bump are 18 mm and 15 mm. By minimizing the rms values of the orbit leakage in another plane, we find the correction strengths for bo2qs3 are $-1.14 \times 10^{-3} \text{m}^{-1}$ and $-1.16 \times 10^{-3} \text{m}^{-1}$ with the horizontal and vertical bumps respectively. The averaged correction strength is $-1.15 \times 10^{-3} \text{m}^{-1}$.

CORRECTION AT STORE

In the following, based on the triplet roll measurements, we will calculate the correction strengths for the local

skew quadrupole correctors with the analytical calculation Eq. (2) and the IR-bump method. The correction strengths from them are compared with each other and also compared to the settings in the RHIC control system. Through this study, we would like to find out the differences in the correction strengths between the analytical calculation and the IR-bump method, between injection and store, between the p-p run and the Au-Au run. Since the triplet roll measurements are not available in every sectors, we will only focus on the sectors with the roll measurements.

First we adopt the Blue ring and Yellow ring lattices for the 2011 RHIC 250 GeV p-p run. The β^* s at IP6 and IP8 are 0.65 m. The β s at other non-colliding IPs are 4 m. Tables 3 and 4 list the correction strengths from the analytical calculation and IR-bump simulation, together with the correction strengths in the control system.

From these tables, the differences in the correction strengths from the horizontal and vertical IR bump are less than 0.1×10^{-3} . The maximum difference is 0.08×10^{-3} for yo5qs3. Comparing the averaged IR-bump correction strengths to the ones with the analytical calculation, the differences are less than 0.1×10^{-3} for the Blue ring. In the Yellow ring, except yi2qs3 with 0.12×10^{-3} difference, the differences are less than 0.1×10^{-3} , too.

Then we compare the above correction strengths from simulation calculations with their settings in the online control application. From Table 3, In the Blue ring, the differences between the simulation calculation and the control settings are less than 0.12×10^{-3} . In the Yellow ring, the differences are less than 0.18×10^{-3} . The biggest differences between the simulation and the online settings are found for bi1qs3 in the Blue ring and yo1qs3 in the Yellow ring.

Table 3: Correction strengths [10^{-3}m^{-1}] with the Blue ring store lattice for the 2011 RHIC 250 GeV p-p runs.

Corr.	Anal.	H-Bump	V-Bump	Avg.	Contr.
bi5qs3	0.04	0.02	-0.08	-0.03	0
bo6qs3	0.04	0.02	0	0.01	0.1
bo7qs3	0.83	0.92	0.88	0.90	0.9
bi8qs3	-1.45	-1.40	-1.48	-1.44	-1.4
bi1qs3	0.08	0.06	0.10	0.08	0.2
bo2qs3	-1.23	-1.14	-1.16	-1.15	-1.2

CORRECTION AT INJECTION

Here we calculate the correction strengths for the local skew quadrupole correctors at injection with the lattices for the 2011 RHIC p-p run. The β^* s at injection are about 7.5 m at all IPs. As mentioned above, the correction strengths in the online control application are the same as that at store. Table 5 and Table 6 list the calculation results and the strength settings in the control system.

Table 4: Correction strengths [10^{-3}m^{-1}] with the Yellow ring store lattice for the 2011 RHIC 250 GeV p-p runs.

Corr.	Anal.	H-Bump	V-Bump	Avg.	Contr.
yo5qs3	-0.21	-0.15	-0.18	-0.17	-0.26
yi6qs3	0.20	0.2	0.18	0.19	0.07
yo8qs3	-1.07	-1.04	-1.08	-1.06	-1.1
yo1qs3	0.02	-0.09	0.03	-0.03	0.2
yi2qs3	0.78	0.86	0.94	0.90	0.76

Comparing Table 5 and Table 3 for the Blue ring, and Table 6 and Table 4 for the Yellow ring, the difference in the correction strengths from analytical calculation at injection and at store is less than 0.05×10^{-3} . Then we compare the averaged correction strengths from IR-bump method at injection and store. The differences in the averaged correction strengths from IR-bump methods at injection and at store are less than $0.16 \times 10^{-1}\text{m}^{-1}$. This bigger difference is from bo2qs3.

Table 5: Correction strengths [10^{-3}m^{-1}] with the Blue ring injection lattice for the 2011 RHIC 250 GeV p-p runs.

Corr.	Anal.	H-Bump	V-Bump	Avg.	Contr.
bi5qs3	0.03	0	-0.02	-0.01	0
bo6qs3	0.08	0.04	-0.04	0	0.1
bo7qs3	0.82	0.81	0.83	0.82	0.9
bi8qs3	-1.45	-1.40	-1.51	-1.46	-1.4
bi1qs3	0.07	0.05	0.08	0.07	0.2
bo2qs3	-1.23	-1.40	-1.21	-1.31	-1.2

Table 6: Correction strengths [10^{-3}m^{-1}] with the Yellow ring injection lattice for the 2011 RHIC 250 GeV p-p runs.

Corr.	Anal.	H-Bump	V-Bump	Avg.	Contr.
yo5qs3	-0.20	-0.14	-0.26	-0.20	-0.26
yi6qs3	0.19	0.19	0.17	0.18	0.07
yo8qs3	-1.07	-1.14	-1.09	-1.11	-1.10
yo1qs3	0.03	0.19	0.02	0.11	0.2
yi2qs3	0.79	0.87	0.95	0.91	0.76

CORRECTION IN AU-AU RUNS

Here we calculate the correction strengths for the local skew quadrupoles with the store lattices for the 2011 RHIC 100 GeV Au-Au run, and compare them to the above correction strengths from the lattices for the 2011 RHIC 250 GeV p-p run. The major difference is that we adopt intra-beam scattering suppression lattices with a bigger

phase advances in the arcs for the Au-Au run. The integer tunes for the p-p run lattices are (28,29), while for the Au-Au run, they are (31, 32). The β^*s at IP6 and IP8 are 0.7 m for the Au-Au runs and 0.65 m for the p-p runs. Table 7 and Table 8 list the calculated local coupling correction strengths based on the triplet roll error measurements.

First we compare the correction strengths from analytical calculation with the store lattices for the 2011 Au-Au run and the 2011 p-p run. Comparing Table 7 to Table 3, and Table 8 to Table 4, the correction strengths from the analytical calculation are almost the same with the lattices for the p-p and Au-Au runs. Then we compare the correction strengths from IR-bump methods. The difference in the averaged correction strengths between the p-p and Au-Au runs are less $0.15 \times 10^{-3}\text{m}^{-1}$ for the Blue ring and are less than $0.21 \times 10\text{m}^{-1}$ for the Yellow ring. The maximum difference is from yo1qs3.

Table 7: Correction strengths [10^{-3}m^{-1}] with the Blue ring store lattice for the 2011 RHIC 100 GeV Au-Au runs.

Corr.	Anal.	H-Bump	V-Bump	Avg.	Contr.
bi5qs3	0.04	0.02	-0.02	0	0
bo6qs3	0.04	0.02	-0.02	0	0.1
bo7qs3	0.83	0.90	0.88	0.89	0.9
bi8qs3	-1.45	-1.40	-1.74	-1.57	-1.4
bi1qs3	0.07	0.06	0.10	0.08	0.2
bo2qs3	-1.24	-1.16	-1.18	-1.17	-1.2

Table 8: Correction strengths [10^{-3}m^{-1}] with the Yellow store lattice for the 2011 RHIC 100 GeV Au-Au runs

Corr.	Anal.	H-Bump	V-Bump	Avg.	Contr.
yo5qs3	-0.21	-0.30	-0.27	-0.29	-0.26
yi6qs3	0.20	0.20	0.30	0.25	0.07
yo8qs3	-1.07	-1.30	-1.11	-1.21	-1.1
yo1qs3	0.02	-0.18	-0.29	-0.24	0.2
yi2qs3	0.79	0.88	0.98	0.93	0.76

C- AFTER IR-BUMP CORRECTION

As we know, the local coupling correction with the IR-bump method will reduce the orbit cross-talk between the horizontal and vertical planes. Here we check if the local coupling correction is good enough for the global coupling correction. For the global coupling correction, we require the global coupling coefficient or ΔQ_{min} should be smaller than 10^{-4} after correction. As we discussed earlier, the IR-bump method focuses on correcting the cross-plane orbit leakage from a local orbit bump. The correction strengths may be slightly different from the analytical calculation based on Eq.(2).

Table 9 shows that the contributions to the global coupling coefficient from each sector. The triplet roll errors in Table 1 are used. The strengths of the local skew quadrupole correctors are the averaged ones from the IR-bump method and their settings from the online application listed in Table 3. In this study, the store lattice of the Blue ring lattice in the 2011 p-p run is used.

From Table 9, without local coupling correction, the coupling coefficient C^- or ΔQ_{min} contributed from the triplet rolls in the sectors 7, 8, and 2 are about 0.0587, 0.1865, and 0.3273. The contributions from sectors 5, 6, and 1 are below 0.01. As we mentioned above, the triplet roll errors in the sectors 5 and 6 had been adjusted to minimize their contributions to the global coupling. From this calculation, the local coupling corrections in the sectors 7, 8, and 2 are required to reduce their contributions to ΔQ_{min} .

With the averaged correction strengths from the IR-bump simulations, the global coupling coefficient contributions from the triplets are reduced, especially for the sectors 7, 8, and 2. The maximum contribution is about 0.016 from the sector 7. With the current strengths settings of local skew quadrupole correctors from the online application, the maximum contribution to the global coupling coefficient is about 0.017 from the same sector. To achieve ΔQ_{min} below 10^{-4} , the global coupling feedback with the global skew quadrupoles is necessary.

Table 9: C^- without and with local coupling corrections. The correction strengths of local skew quadrupole correctors are the averaged ones from the IR-bump method and their settings from the online application.

Sector	Triplets	IR-bump Corr.	Online Corr.
5	0.0086	0.0153	0.0086
6	0.0098	0.0076	0.0127
7	0.1865	0.016	0.0167
8	0.3273	0.0025	0.0115
1	0.0037	5.5×10^{-5}	0.0057
2	0.0587	0.0038	0.0014

VERTICAL DISPERSION CONCERNS

In this section we calculate the vertical dispersion from triplet rolls and local and global skew quadrupoles. In the 2011 p-p run a vertical dispersion with a maximum of 0.5 m was measured in RHIC. Vertical dispersion may cause depolarization on the energy acceleration and at physics store. In the following calculation, we will adopt the Blue ring store lattice for the 2011 RHIC 250 GeV run.

The dispersion leakage by a skew quadrupole with a strength $K_{1s,0}$ is given by

$$D_{y,s} = -\frac{\sqrt{\beta_{y,s}\beta_{y,0}}}{2\sin(\pi Q_y)}(D_{x,0}K_{1s,0}) \cos(\pi Q_y - |\Phi_{y,s} - \Phi_{y,0}|). \quad (5)$$




Figure 2: Calculated vertical dispersion from the measured triplet roll errors and with local coupling correction.

Here $D_{x,0}$ is the horizontal dispersion at the skew quadrupole. Ignoring the phase advances in the triplets, to completely cancel the vertical dispersion leakage, we obtain

$$\sum_{i=1}^N \sqrt{\beta_y} D_x K_{1s} = 0. \quad (6)$$

The scaling factor in Eq. (6) for the global dispersion cancellation is different from Eq. (2) for the global coupling correction and from Eq. (4) for the orbit leakage cancellation. However, if there is no coupling source or all coupling sources are fully compensated locally in this sector, the vertical dispersion leakage should be zero. Again, Eqs. (2), (4) and (6) can be used for local coupling correction although they use different observables. The correction strengths from Eqs. (2), (4) and (6) may be slightly different.

Figure 2 shows the vertical dispersion with the triplet rolls and their local skew quadrupole corrections in the sectors where the measurement data of triplet rolls are available. From it, the triplet rolls introduce a vertical dispersion with a maximum of 0.2 m in the IRs if they are not corrected. The reason is that the β_y is big and the horizontal dispersion D_x is not zero in IRs. After the local coupling correction with the strengths found with the above analytical calculation or IR-bump method, the vertical dispersion is greatly reduced and is tolerable.

Figure 3 shows the vertical dispersion from the triplet roll errors, the local and global skew quadrupoles from the control system. From it, the online global skew quadrupoles for the global coupling correction introduce a vertical dispersion with a maximum of 0.45 m. Therefore it is important not to introduce additional vertical dispersion by the global coupling correction.

For comparison, we simulate the vertical dispersion solely from vertical dipole kickers. The vertical dispersion from vertical dipole kickers is mainly from the vertical closed orbits in the arc sextupoles. A vertical offset of the beam in the normal sextupole will generate a skew quadrupole feed-down. As an example, we generate a closed orbit with random strength assignments to all the




Figure 3: Vertical dispersion with measured triplet roll errors and the local and global skew quadrupoles from the online application.




Figure 4: Vertical dispersion generated by vertical orbits with $y_{rms}=1\text{mm}$ and $y_{rms}=0.2\text{mm}$.

vertical dipole kickers. The rms values of vertical closed orbit is about 1.1 mm without orbit correction. Then we correct it with sliding bumps to achieve y_{rms} 0.2 mm. Figure 4 shows the vertical dispersion with $y_{rms}=1\text{mm}$ and $y_{rms}=0.2\text{mm}$ in this example. From it, a vertical closed orbit with $y_{rms}=1$ mm will introduce a vertical dispersion with a maximum of 0.8m in the IRs. With $y_{rms}=0.2$ mm, the vertical dispersion is negligible.

SUMMARY

In the article, based on the measured triplet roll errors in 2001 and 2004, we calculated and compared the local coupling correction strengths with analytical calculation and IR-bump method. The correction strengths from these two methods agree very well except one corrector. And through simulation, we found that the local skew quadrupole correction strengths vary less than 0.21×10^{-1} at injection, at store and for the p-p and Au-Au runs. After the local coupling correction with the IR-bump method, the cross-talk of the transverse orbits and the vertical dispersion are reduced. However, to reduce ΔQ_{min} to below

10^{-4} , the global coupling feedback with the global skew quadrupoles is necessary. We also calculated the vertical dispersion contributed by the triplet rolls, their local corrections, and the global skew quadrupoles from the control system. We found that a perfect local coupling correction reduces the vertical dispersion leakage. The online global coupling correction quadrupoles introduce an additional vertical dispersion with a maximum of 0.5 m. We are planning to construct a global coupling feedback which more skew quadrupole families to correct the global coupling and to reduce its contribution to the vertical dispersion [3].

REFERENCES

- [1] Y. Luo, et al., Phys. Rev. ST Accel. Beams 9, 124001 (2006).
- [2] P. Cameron, et al., Phys. Rev. ST Accel. Beams 9, 122801 (2006).
- [3] C. Liu, et al., BNL C-AD AP Note ???, 2011.
- [4] V. Ptitsyn, private communication, 2011.
- [5] Y. Luo, BNL C-AD AP Note 388, 2010.
- [6] F. Pilat, et al, BNL C-AD AP Note 77, 2002.
- [7] J. Cardona, et al., Phys. Rev. ST Accel. Beams 12, 014002 (2009).
- [8] R. Calaga, et al., Phys. Rev. ST Accel. Beams 8, 034001 (2005).