

DEPENDENCE OF THE SPACE CHARGE LIMIT ON THE CHOICE OF ? VALUES

G. Parzen

June 1989

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**DEPENDENCE OF THE SPACE CHARGE LIMIT ON THE
CHOICE OF ν VALUES**

**AD
BOOSTER TECHNICAL NOTE
NO. 141**

**G. PARZEN
JUNE 5, 1989**

**ACCELERATOR DEVELOPMENT DEPARTMENT
BROOKHAVEN NATIONAL LABORATORY
UPTON, NEW YORK 11973**

DEPENDENCE OF THE SPACE CHARGE LIMIT ON THE CHOICE OF ν VALUES

G. PARZEN
JUNE 5, 1989

I. Introduction

This paper studies the dependence of the space charge limit on the choice of ν values ν_x, ν_y . The study finds there are valleys, places where the space charge limit is low, just above the location of the 1/4 resonances. For the AGS Booster, with a period of 6, the 1/4 resonances are located at $\nu = 1.5, 3, 4.5, 6 \dots$. In between these valleys, peaks in the space charge limit are found. These peaks may be at the optimum choice of ν value to obtain the highest space charge limit. One peak that may be of interest for the Booster is the peak at $\nu = 5.8$. The choice of ν value of $\nu = 5.8$ appears to increase the space charge limit by 1/3 above the space charge limit found for $\nu = 4.8$.

II. Space Charge Limit Dependence on ν Values

Figure 1 plots the space charge limit for the AGS Booster, $N_{b,L}$ protons/bunch, against the choice of ν value ν_x . ν_y is always related to ν_x by $\nu_y = \nu_x - .01$. One should remember that comparison with results of operating accelerators indicates that the results of the simulation program for the space charge limit, shown in Figure 1, should be reduced by about a factor of 2. Figure 1 shows the valleys, low points in $N_{b,L}$, just above the 1/4 resonances at $\nu_x = 1.5, 3, 4.5$ and 6. Two of these resonances, those at $\nu_x = 3, 6$ are also 1/2 resonances which may also be contributing.

The space charge limit plotted in Figure 1 is the intrinsic space charge limit, which is the limit due to forces generated by the beam itself. Magnetic field errors are assumed not to be present. The 1/4 resonances indicated in Figure 1 are driven by the space charge forces of the beam itself. The 1/2 resonances are also driven by the 6 θ harmonic in the magnetic guide field. The strength of the 1/2 resonances driven by the magnet guide field is indicated in Figure 2 where β_x, β_y and X_p , the horizontal dispersion, are plotted versus $\nu_x = \nu_y - .01$.

The source of the 6 θ harmonic in the beam forces is probably the $1/\rho^2$ focussing term in the dipole which has a periodicity of 6.

The justification for looking only as the intrinsic space limit, and ignoring the resonances driven by magnetic field errors, is given in reference 1, where it was found that the intrinsic space charge limit appears to play a dominant role.

The effect of the beam driven resonances on the beam growth is shown in Figure 3. Where x_{max} and y_{max} , the largest x and y attained by particles in the beam are plotted versus $\nu_x = \nu_y - .01$. The assumed horizontal and vertical aperture limits are also indicated by dashed lines. This plot was done with $N_b = 1 \times 10^{13}$ protons/bunch.

SPACE CHARGE LIMIT VERSUS ν_x

AGS BOOOSTER




Figure 1

β_x, β_y and X_p versus ν_x

AGS Booster




Figure 2

Beam Growth versus ν_x

AGS Booster

for $N_b = 1 \times 10^{13}$ Protons/bunch




Figure 3

References:

1. G. Parzen, BNL Report # BNL-42653, (1988), to be published.