



BNL-104677-2014-TECH

AGS/AD/Tech Note No. 254;BNL-104677-2014-IR

Present Order of Magnets in the AGS Ring, with B.dl Offsets

R. E. Thern

June 1986

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Accelerator Division
Alternating Gradient Synchrotron Department
BROOKHAVEN NATIONAL LABORATORY
Associated Universities, Inc.
Upton, New York 11973

Accelerator Division
Technical Note

No. 254

Present Order of Magnets in the AGS Ring, with B.d1 Offsets

R.E. Thorn

June 5, 1986

TECHNICAL NOTE
Present Order of Magnets in the AGS Ring, with B.dl Offsets

R. E. Thern
June 5, 1986

1. INTRODUCTION

When the AGS magnets were originally put in the ring, results from the magnetic measurements were used to determine the "stacking order" in the ring and the radial offsets for each magnet. Now that we are doing a radial survey (ref 1) and may do a radial realignment, it is important that this data be taken into account again. Over the years, magnet replacements have shuffled the magnets from their original order and brought in the magnets that used to be the spares. Thus the old publications of this data (ref 2-3) have to be brought up to date.

The present order of the magnets in the ring -- which "magnet name" is in which "ring location" -- was checked by walking around the ring and reading the numbers stamped in the backleg of each magnet.

The description of the magnetic measurement data and the rationale for how it is used is given below. The data are listed in Table 1, ordered by magnet name, and in Table 2, ordered by location in the ring. Table 3 summarizes the changes that have been made to the original magnet order.

2. B.DL AT 5000 GAUSS

At a set current, the integrated B.dl along the equilibrium orbit should be the same for all members of each class (A, B, or C) of magnet. The line determined from the socket holes on the top of the magnet does not satisfy this requirement, due to variations in the gap, the steel, the length of the magnet, and the placement of the socket holes relative to the gap. Since the magnets are gradient magnets, the B.dl at a given current can be changed by moving the magnet sideways. The data in reference 2 are the radial offsets of the magnet sockets from the design positions in the ring such that the B.dl values along the equilibrium orbit are uniform, within each class, at a fixed current corresponding to about 5000 gauss. The sign convention used is that positive offsets mean that the socket is to be moved away from the center of the ring. These offsets also effect a slight rotation so the orbit is parallel to the front face of the magnet.

The definition of the offsets is as shown in Figure 1. Note that half the magnets in each superperiod have their gaps facing outward, and half inward, so the offsets for the surveyors to use -- "upstream and downstream", "in and out" -- will depend on position in the ring.

Note that magnet B1, which was originally a spare but now is in use, seems to have no magnetic measurement data. (In compendia of mechanical data, it is referred to as B-1A, but I have not found anyone who remembers why.) Magnet B1 was used as the reference magnet for the rest of the B series; the reference magnets for the A and C series were themselves measured by using another magnet for the reference.

3. REMANENT FIELD

Since the variations in remanent field are larger (percentagewise) than the variations at higher fields, the original stacking order of the magnets in the ring was designed to reduce the low order harmonics introduced by the remanent field at injection. With the present low field dipole correction system (and higher energy injection) this is no longer as important; the remanent field data is nevertheless included here for the sake of completeness.

The remanent field numbers are the offsets, in mils from the 5000 gauss centerline defined above, which give a uniform B.dl for the remanent field. The sign of the effect is, as best I can determine, such that a positive number means that the remanent field is higher than the standard. The remanent field gradient is about 1.5 gauss/inch (2.1 g/in) for classes A and B (class C), with a central field of about 16 gauss.

The remanent field for the class A magnets (but not classes B and C) were found in reference 3; the class B and C numbers were found compiled on sheets in the data books. They are, apparently, not exactly the same as were used in figuring the stacking order in reference 3 because several magnets are interchanged in rank from that implied by the reference 3 order. The differences are only a few mils, however, much less than the variation in multiple measurements.

REFERENCES

1. R. E. Thern, "The 1985 Horizontal Survey. Part II. Magnets", AGS Accelerator Division Technical Note No. 253, May 30, 1986.
2. J. P. Palmer and R. H. Phillips, "Summary of Magnetic Measurements of Classes A, B, and C Magnets Reduced to Equivalent Radial Offset Corrections on the AGS Ring", Accelerator Development Department Internal Report JPP/RHP-2, July 17, 1959. This report covers the magnets that were originally placed in the ring. Over the years the magnets have been shuffled and the spares brought in; the offsets for the spares were found in the data books with the help of J. Weisenbloom.
3. E. D. Courant, "Stacking Order for Class A and Class B Magnets in the AGS", Accelerator Development Department Internal Report EDC-29, March 6, 1959, and "Stacking Order of Class C Magnets in the AGS", Report EDC-30, May 25, 1959.





Figure 1. Definitions of the offsets, in the magnet coordinate system, and in the ring coordinate system. The convention is that the two are the same for magnets with their wide gap (low-field side) facing outward, i.e., the defocussing magnets (class C in the first half of each superperiod, classes A and B in the second). For the other magnets, the offsets are interchanged and the signs reversed.

Table 1a. Magnet list ordered by magnet name for class A magnets. The offsets, in mils, are from the socket holes to a magnetic centerline which has the same B.dI for all members of a class (at a set current corresponding to about 5000 gauss). Xrem is the offset, in mils from the above centerline, needed to make the remanent field the same as in the reference magnet. The asterisk (*) denotes that the magnet is in a location different from its original location. NA = data not available. "Spare" denotes magnets not in the ring, and "242" denotes the magnet under the Siemens power room.

| Mag. name | Ring loc. | Mag. offset | | Xrem | Mag. name | Ring loc. | Mag. offset | | Xrem |
|-----------|-----------|-------------|------|------|-----------|-----------|-------------|------|------|
| | | off1 | off2 | | | | off1 | off2 | |
| A01 | B-05 | -7 | 23 | 166 | A31 | J-05 | -14 | 32 | 146 |
| A02 | K-16 | 3 | 37 | 28 | A32 | K-05 | -4 | 12 | 155 |
| A03 | I-15 | 5 | 8 | 86 | A33 | G-05 | -9 | 26 | 111 |
| A04 | H-06 * | -8 | 19 | 13 | A34 | I-16 | 8 | 3 | 33 |
| A05 | D-06 | 0 | 22 | -6 | A35 | E-06 | 3 | 23 | 11 |
| A06 | J-15 | -3 | 31 | 96 | A36 | C-15 | -6 | 16 | 96 |
| A07 | J-16 | 22 | 22 | 30 | A37 | H-15 | -8 | 33 | 75 |
| A08 | L-06 | 1 | 14 | -34 | A38 | D-16 | 1 | 21 | 32 |
| A09 | C-16 | 3 | 28 | 28 | A39 | B-15 | 14 | 24 | 99 |
| A10 | B-16 | -13 | 32 | 22 | A40 | L-05 | 0 | 14 | 187 |
| A11 | K-06 | -16 | 22 | -19 | A41 | K-15 | -13 | 32 | 97 |
| A12 | J-06 | 6 | 9 | -15 | A42 | A-05 | -10 | 27 | 197 |
| A13 | B-06 | -5 | 30 | -20 | A43 | H-05 | -8 | 17 | 132 |
| A14 | G-06 | -11 | 21 | 14 | A44 | F-05 | -12 | 23 | 131 |
| A15 | F-06 * | 6 | 34 | -118 | A45 | A-15 | 4 | 12 | 111 |
| A16 | G-16 | 1 | 34 | 65 | A46 | E-05 | -9 | 26 | 132 |
| A17 | spare* | -8 | 15 | 11 | A47 | C-05 | -1 | 15 | 155 |
| A18 | A-06 | -23 | 23 | -58 | A48 | D-05 | -19 | 23 | 140 |
| A19 | A-16 | 11 | 17 | 15 | A49 | "242"* | -9 | 34 | 65 |
| A20 | I-05 | 0 | 9 | 137 | A50 | E-16 | -10 | 22 | 34 |
| A21 | F-16 | -11 | 28 | 46 | | | | | |
| A22 | H-16 | 8 | 12 | 38 | | | | | |
| A23 | G-15 * | 0 | 20 | -120 | | | | | |
| A24 | I-06 | 10 | 39 | -5 | | | | | |
| A25 | F-15 | -9 | 24 | 70 | | | | | |
| A26 | L-15 | 0 | 10 | 102 | | | | | |
| A27 | C-06 | -12 | 12 | -16 | | | | | |
| A28 | L-16 | -15 | 8 | 20 | | | | | |
| A29 | D-15 | -1 | 40 | 88 | | | | | |
| A30 | E-15 | 2 | 13 | 80 | | | | | |

Table 1b. Magnet list ordered by magnet name for class B magnets.

| Mag. name | Ring loc. | Mag. offset off1 | Mag. offset off2 | Xrem | Mag. name | Ring loc. | Mag. offset off1 | Mag. offset off2 | Xrem |
|-----------|-----------|------------------|------------------|------|-----------|-----------|------------------|------------------|------|
| B01 | B-01 * | NA | NA | NA | B51 | D-10 | 0 | 11 | -48 |
| B02 | J-09 | -3 | 4 | 151 | B52 | B-20 | 6 | 2 | 6 |
| B03 | G-12 * | 4 | 16 | 64 | B53 | I-11 * | 10 | 2 | 76 |
| B04 | K-12 | 18 | 18 | 11 | B54 | C-01 | -16 | 11 | 152 |
| B05 | K-20 | 8 | 8 | 2 | B55 | D-12 | 3 | 5 | 34 |
| B06 | L-01 | -22 | 20 | 185 | B56 | G-09 | -14 | 10 | 114 |
| B07 | L-11 | -10 | 21 | 105 | B57 | C-19 | -16 | 4 | 92 |
| B08 | G-20 | -4 | 5 | 61 | B58 | C-09 | -13 | 12 | 148 |
| B09 | K-09 | -1 | 9 | 180 | B59 | D-09 | 4 | 14 | 136 |
| B10 | F-20 | 0 | 15 | 61 | B60 | G-19 * | -2 | 8 | 62 |
| B11 | E-01 | -2 | 0 | 123 | B61 | C-02 | -5 | 6 | -77 |
| B12 | B-11 * | -11 | 19 | 71 | B62 | H-10 | -8 | 10 | -45 |
| B13 | G-10 | 7 | -3 | -26 | B63 | D-19 | 2 | 8 | 81 |
| B14 | H-01 | 8 | 15 | 118 | B64 | B-12 | -13 | 11 | 1 |
| B15 | J-20 | 2 | -4 | 23 | B65 | H-19 * | -6 | 4 | 82 |
| B16 | F-01 * | 9 | 2 | 214 | B66 | A-10 | -6 | 15 | -130 |
| B17 | B-09 | -4 | 4 | 176 | B67 | H-20 * | -6 | 16 | 43 |
| B18 | B-19 | -4 | 5 | 102 | B68 | A-20 * | -6 | 12 | 72 |
| B19 | I-19 * | -3 | -10 | 80 | B69 | I-10 | -21 | 17 | -48 |
| B20 | I-20 | -3 | -1 | 41 | B70 | B-10 | -18 | 18 | -85 |
| B21 | H-11 | -8 | 0 | 73 | B71 | K-01 * | 10 | 5 | -78 |
| B22 | J-12 | -12 | -2 | 32 | B72 | G-02 | -6 | 3 | -23 |
| B23 | L-12 | -7 | 3 | -6 | B73 | H-12 | -10 | 3 | 50 |
| B24 | A-02 | 5 | -19 | -163 | B74 | spare* | -6 | 5 | -13 |
| B25 | J-11 | 10 | -6 | 86 | B75 | H-09 | -10 | 1 | 122 |
| B26 | C-10 | -1 | 10 | -64 | B76 | D-11 | -12 | 20 | 84 |
| B27 | D-20 | -12 | 5 | 41 | B77 | A-01 * | -4 | 0 | 182 |
| B28 | L-02 | 3 | 3 | -129 | B78 | C-20 | -13 | 6 | 30 |
| B29 | I-01 | 3 | 0 | 125 | B79 | A-19 | 7 | 6 | 105 |
| B30 | K-02 * | 2 | 1 | 160 | B80 | L-19 | -2 | 11 | 106 |
| B31 | E-11 * | 4 | 13 | 51 | B81 | I-12 * | -4 | 5 | 46 |
| B32 | K-19 | 6 | 16 | 103 | B82 | E-12 | 1 | 8 | 45 |
| B33 | C-12 | -13 | 16 | 20 | B83 | F-19 | -2 | 18 | 66 |
| B34 | E-20 | -7 | 26 | 47 | B84 | F-09 | -10 | 12 | 113 |
| B35 | I-02 | -15 | 16 | -47 | B85 | spare* | -3 | 15 | 114 |
| B36 | A-09 | 4 | 3 | 206 | B86 | E-19 | 5 | 4 | 75 |
| B37 | J-02 | 1 | 0 | -64 | B87 | I-09 | -3 | 8 | 139 |
| B38 | D-02 | -8 | 9 | -59 | B88 | K-11 | 0 | -11 | 101 |
| B39 | F-10 | -2 | 17 | -26 | B89 | F-12 * | -2 | 12 | 79 |
| B40 | J-19 | -12 | 12 | 93 | B90 | L-10 | -6 | 11 | -131 |
| B41 | G-01 | 3 | 8 | 113 | B91 | F-11 * | -18 | 4 | -206 |
| B42 | G-11 * | -12 | 7 | 104 | B92 | J-01 | -13 | 9 | 141 |
| B43 | E-10 | 1 | 6 | -41 | B93 | E-09 | -1 | 11 | 120 |
| B44 | J-10 | -4 | 12 | -74 | B94 | C-11 | -2 | 7 | 99 |
| B45 | H-02 | 14 | 21 | -31 | B95 | B-02 | -11 | 21 | -110 |
| B46 | L-20 | 10 | 4 | -15 | B96 | K-10 | -8 | 2 | -107 |
| B47 | A-11 | 6 | 6 | 107 | B97 | A-12 | 2 | 4 | -18 |
| B48 | E-02 | -13 | 6 | -47 | B98 | F-02 | -14 | 11 | -28 |
| B49 | D-01 | -8 | 9 | 140 | | | | | |
| B50 | L-09 | 2 | 10 | 207 | | | | | |

Table 1c. Magnet list ordered by magnet name for class C magnets.

| Mag. name | Ring loc. | Mag. offset off1 | Mag. offset off2 | Xrem | Mag. name | Ring loc. | Mag. offset off1 | Mag. offset off2 | Xrem |
|-----------|-----------|------------------|------------------|------|-----------|-----------|------------------|------------------|------|
| C01 | A-07 | -10 | -30 | 53 | C51 | L-18 | -6 | -8 | -91 |
| C02 | L-03 | 1 | -3 | 54 | C52 | F-03 | -2 | -4 | 24 |
| C03 | B-04 | -4 | -12 | -13 | C53 | J-14 | 3 | -13 | -46 |
| C04 | F-17 | -21 | -21 | 59 | C54 | K-03 | -5 | -23 | 47 |
| C05 | J-13 | 5 | -17 | 93 | C55 | D-08 | -15 | 7 | 6 |
| C06 | J-08 | -15 | -7 | -2 | C56 | H-18 | -13 | -27 | -32 |
| C07 | I-03 | -14 | -18 | 36 | C57 | B-18 | -5 | -5 | -64 |
| C08 | F-18 | -27 | 1 | -23 | C58 | C-14 | -15 | -3 | -60 |
| C09 | G-08 | -21 | -11 | 15 | C59 | D-13 | -28 | -12 | 90 |
| C10 | K-04 | -29 | 1 | -6 | C60 | B-07 | -11 | -17 | 48 |
| C11 | F-14 | -8 | -6 | -28 | C61 | H-03 | -22 | -14 | 27 |
| C12 | D-18 | -7 | -5 | -38 | C62 | J-17 | -17 | -25 | 95 |
| C13 | I-18 | -1 | -17 | -40 | C63 | G-17 | -23 | -13 | 63 |
| C14 | A-18 | -3 | -11 | -87 | C64 | D-17 | -10 | -8 | 85 |
| C15 | L-14 | -21 | -7 | -86 | C65 | K-13 | -23 | 5 | 105 |
| C16 | E-17 | -23 | 3 | 73 | C66 | I-13 | -21 | -29 | 83 |
| C17 | D-04 | -8 | 14 | 6 | C67 | C-18 | -22 | -16 | -48 |
| C18 | H-14 | -25 | -3 | -30 | C68 | D-07 | -19 | -27 | 36 |
| C19 | A-14 | -6 | -14 | -128 | C69 | C-13 | -28 | 0 | 104 |
| C20 | E-18 | -25 | -11 | -33 | C70 | J-07 | -10 | -4 | 46 |
| C21 | spare* | -11 | -9 | 19 | C71 | I-07 | -35 | -11 | 38 |
| C22 | L-08 | -16 | -8 | -22 | C72 | L-13 | -12 | -36 | 120 |
| C23 | F-07 * | -3 | -7 | -150 | C73 | E-13 | -28 | -20 | 82 |
| C24 | J-03 | -17 | -21 | 41 | C74 | F-13 | -19 | -15 | 67 |
| C25 | G-04 | -23 | -23 | 17 | C75 | H-13 | -29 | -13 | 69 |
| C26 | spare | -9 | 3 | -147 | C76 | H-07 | -23 | -23 | 28 |
| C27 | D-14 | -4 | -28 | -42 | C77 | L-17 | -17 | -7 | 138 |
| C28 | I-04 | -14 | -24 | 10 | C78 | K-17 | -10 | -24 | 109 |
| C29 | A-04 | -4 | -6 | -21 | C79 | L-07 | -27 | -1 | 57 |
| C30 | K-14 | -5 | -19 | -62 | C80 | A-17 | -6 | -22 | 131 |
| C31 | J-04 | -15 | 1 | 4 | C81 | E-04 | -26 | -2 | 9 |
| C32 | G-18 | -14 | -24 | -25 | C82 | J-18 | -12 | -14 | -56 |
| C33 | H-04 | -11 | -1 | 7 | C83 | L-04 | -6 | -4 | -12 |
| C34 | B-17 | -23 | -9 | 110 | C84 | C-04 | -1 | -15 | -5 |
| C35 | G-13 | -11 | -3 | 58 | C85 | B-08 | -2 | -6 | -6 |
| C36 | D-03 | -8 | -2 | 40 | C86 | C-08 | -10 | -10 | 3 |
| C37 | A-13 | -18 | -20 | 143 | C87 | G-03 | 10 | -12 | 18 |
| C38 | H-17 | -19 | -9 | 79 | C88 | B-14 | -24 | 2 | -78 |
| C39 | G-07 | -16 | 0 | 25 | C89 | F-08 | 6 | -8 | 15 |
| C40 | K-07 | -3 | -19 | 50 | C90 | I-17 | -15 | 11 | 90 |
| C41 | F-04 | -30 | 4 | 13 | C91 | A-08 | 0 | 4 | -18 |
| C42 | A-03 | -17 | -5 | 56 | C92 | K-08 | -27 | -5 | -9 |
| C43 | G-14 | -8 | 2 | -21 | C93 | E-03 | 1 | -11 | 32 |
| C44 | I-14 | -12 | -12 | -38 | C94 | H-08 | -29 | 21 | 10 |
| C45 | C-03 | -18 | -6 | 47 | C95 | E-08 | 1 | -5 | 9 |
| C46 | C-07 | -12 | -10 | 44 | C96 | B-03 | -38 | 0 | 52 |
| C47 | I-08 | -24 | -6 | 5 | C97 | E-07 | 6 | -4 | 28 |
| C48 | B-13 | -12 | -8 | 111 | C98 | E-14 | -7 | 25 | -33 |
| C49 | C-17 | -8 | -6 | 94 | | | | | |
| C50 | K-18 | -15 | -13 | -66 | | | | | |

Table 2. Magnet names and offsets, ordered by location in ring. The asterisk (*) denotes that a location has a magnet different from the original stacking order. NA = data not available.

| Ring loc. | Mag name | | Ring offset | |
|-----------|----------|---|-------------|------|
| | | | offA | offB |
| A-01 | B77 | * | 0 | 4 |
| A-02 | B24 | | 19 | -5 |
| A-03 | C42 | | -17 | -5 |
| A-04 | C29 | | -4 | -6 |
| A-05 | A42 | | -27 | 10 |
| A-06 | A18 | | -23 | 23 |
| A-07 | C01 | | -10 | -30 |
| A-08 | C91 | | 0 | 4 |
| A-09 | B36 | | -3 | -4 |
| A-10 | B66 | | -15 | 6 |
| A-11 | B47 | | 6 | 6 |
| A-12 | B97 | | 2 | 4 |
| A-13 | C37 | | 20 | 18 |
| A-14 | C19 | | 14 | 6 |
| A-15 | A45 | | 4 | 12 |
| A-16 | A19 | | 11 | 17 |
| A-17 | C80 | | 22 | 6 |
| A-18 | C14 | | 11 | 3 |
| A-19 | B79 | | 7 | 6 |
| A-20 | B68 | * | -6 | 12 |
| B-01 | B01 | * | NA | NA |
| B-02 | B95 | | -21 | 11 |
| B-03 | C96 | | -38 | 0 |
| B-04 | C03 | | -4 | -12 |
| B-05 | A01 | | -23 | 7 |
| B-06 | A13 | | -30 | 5 |
| B-07 | C60 | | -11 | -17 |
| B-08 | C85 | | -2 | -6 |
| B-09 | B17 | | -4 | 4 |
| B-10 | B70 | | -18 | 18 |
| B-11 | B12 | * | -11 | 19 |
| B-12 | B64 | | -13 | 11 |
| B-13 | C48 | | 8 | 12 |
| B-14 | C88 | | -2 | 24 |
| B-15 | A39 | | 14 | 24 |
| B-16 | A10 | | -13 | 32 |
| B-17 | C34 | | 9 | 23 |
| B-18 | C57 | | 5 | 5 |
| B-19 | B18 | | -4 | 5 |
| B-20 | B52 | | 6 | 2 |
| C-01 | B54 | | -11 | 16 |
| C-02 | B61 | | -6 | 5 |
| C-03 | C45 | | -18 | -6 |
| C-04 | C84 | | -1 | -15 |
| C-05 | A47 | | -15 | 1 |
| C-06 | A27 | | -12 | 12 |
| C-07 | C46 | | -12 | -10 |
| C-08 | C86 | | -10 | -10 |
| C-09 | B58 | | -12 | 13 |
| C-10 | B26 | | -10 | 1 |
| C-11 | B94 | | -2 | 7 |
| C-12 | B33 | | -13 | 16 |
| C-13 | C69 | | 0 | 28 |
| C-14 | C58 | | 3 | 15 |
| C-15 | A36 | | -6 | 16 |
| C-16 | A09 | | 3 | 28 |
| C-17 | C49 | | 6 | 8 |
| C-18 | C67 | | 16 | 22 |
| C-19 | B57 | | -16 | 4 |
| C-20 | B78 | | -13 | 6 |
| D-01 | B49 | | -9 | 8 |
| D-02 | B38 | | -9 | 8 |
| D-03 | C36 | | -8 | -2 |
| D-04 | C17 | | -8 | 14 |
| D-05 | A48 | | -23 | 19 |
| D-06 | A05 | | -22 | 0 |
| D-07 | C68 | | -19 | -27 |
| D-08 | C55 | | -15 | 7 |
| D-09 | B59 | | -14 | -4 |
| D-10 | B51 | | -11 | 0 |
| D-11 | B76 | | -12 | 20 |
| D-12 | B55 | | 3 | 5 |
| D-13 | C59 | | 12 | 28 |
| D-14 | C27 | | 28 | 4 |
| D-15 | A29 | | -1 | 40 |
| D-16 | A38 | | 1 | 21 |
| D-17 | C64 | | 8 | 10 |
| D-18 | C12 | | 5 | 7 |
| D-19 | B63 | | 2 | 8 |
| D-20 | B27 | | -12 | 5 |

Table 2 (continued).

| Ring | Mag | Ring offset | |
|-----------|-------|-------------|------|
| loc. name | | offA | offB |
| E-01 | B11 | 0 | 2 |
| E-02 | B48 | -6 | 13 |
| E-03 | C93 | 1 | -11 |
| E-04 | C81 | -26 | -2 |
| E-05 | A46 | -26 | 9 |
| E-06 | A35 | -23 | -3 |
| E-07 | C97 | 6 | -4 |
| E-08 | C95 | 1 | -5 |
| E-09 | B93 | -11 | 1 |
| E-10 | B43 | -6 | -1 |
| E-11 | B31 * | 4 | 13 |
| E-12 | B82 | 1 | 8 |
| E-13 | C73 | 20 | 28 |
| E-14 | C98 | -25 | 7 |
| E-15 | A30 | 2 | 13 |
| E-16 | A50 | -10 | 22 |
| E-17 | C16 | -3 | 23 |
| E-18 | C20 | 11 | 25 |
| E-19 | B86 | 5 | 4 |
| E-20 | B34 | -7 | 26 |
| F-01 | B16 * | -2 | -9 |
| F-02 | B98 | -11 | 14 |
| F-03 | C52 | -2 | -4 |
| F-04 | C41 | -30 | 4 |
| F-05 | A44 | -23 | 12 |
| F-06 | A15 * | -34 | -6 |
| F-07 | C23 * | -3 | -7 |
| F-08 | C89 | 6 | -8 |
| F-09 | B84 | -12 | 10 |
| F-10 | B39 | -17 | 2 |
| F-11 | B91 * | -18 | 4 |
| F-12 | B89 * | -2 | 12 |
| F-13 | C74 | 15 | 19 |
| F-14 | C11 | 6 | 8 |
| F-15 | A25 | -9 | 24 |
| F-16 | A21 | -11 | 28 |
| F-17 | C04 | 21 | 21 |
| F-18 | C08 | -1 | 27 |
| F-19 | B83 | -2 | 18 |
| F-20 | B10 | 0 | 15 |
| G-01 | B41 | -8 | -3 |
| G-02 | B72 | -3 | 6 |
| G-03 | C87 | 10 | -12 |
| G-04 | C25 | -23 | -23 |
| G-05 | A33 | -26 | 9 |
| G-06 | A14 | -21 | 11 |
| G-07 | C39 | -16 | 0 |
| G-08 | C09 | -21 | -11 |
| G-09 | B56 | -10 | 14 |
| G-10 | B13 | 3 | -7 |
| G-11 | B42 * | -12 | 7 |
| G-12 | B03 * | 4 | 16 |
| G-13 | C35 | 3 | 11 |
| G-14 | C43 | -2 | 8 |
| G-15 | A23 * | 0 | 20 |
| G-16 | A16 | 1 | 34 |
| G-17 | C63 | 13 | 23 |
| G-18 | C32 | 24 | 14 |
| G-19 | B60 * | -2 | 8 |
| G-20 | B08 | -4 | 5 |
| H-01 | B14 | -15 | -8 |
| H-02 | B45 | -21 | -14 |
| H-03 | C61 | -22 | -14 |
| H-04 | C33 | -11 | -1 |
| H-05 | A43 | -17 | 8 |
| H-06 | A04 * | -19 | 8 |
| H-07 | C76 | -23 | -23 |
| H-08 | C94 | -29 | 21 |
| H-09 | B75 | -1 | 10 |
| H-10 | B62 | -10 | 8 |
| H-11 | B21 | -8 | 0 |
| H-12 | B73 | -10 | 3 |
| H-13 | C75 | 13 | 29 |
| H-14 | C18 | 3 | 25 |
| H-15 | A37 | -8 | 33 |
| H-16 | A22 | 8 | 12 |
| H-17 | C38 | 9 | 19 |
| H-18 | C56 | 27 | 13 |
| H-19 | B65 * | -6 | 4 |
| H-20 | B67 * | -6 | 16 |

Table 2 (continued).

| Ring | Mag | Ring offset | |
|-----------|-------|-------------|------|
| loc. name | | offA | offB |
| I-01 | B29 | 0 | -3 |
| I-02 | B35 | -16 | 15 |
| I-03 | C07 | -14 | -18 |
| I-04 | C28 | -14 | -24 |
| I-05 | A20 | -9 | 0 |
| I-06 | A24 | -39 | -10 |
| I-07 | C71 | -35 | -11 |
| I-08 | C47 | -24 | -6 |
| I-09 | B87 | -8 | 3 |
| I-10 | B69 | -17 | 21 |
| I-11 | B53 * | 10 | 2 |
| I-12 | B81 * | -4 | 5 |
| I-13 | C66 | 29 | 21 |
| I-14 | C44 | 12 | 12 |
| I-15 | A03 | 5 | 8 |
| I-16 | A34 | 8 | 3 |
| I-17 | C90 | -11 | 15 |
| I-18 | C13 | 17 | 1 |
| I-19 | B19 * | -3 | -10 |
| I-20 | B20 | -3 | -1 |
| J-01 | B92 | -9 | 13 |
| J-02 | B37 | 0 | -1 |
| J-03 | C24 | -17 | -21 |
| J-04 | C31 | -15 | 1 |
| J-05 | A31 | -32 | 14 |
| J-06 | A12 | -9 | -6 |
| J-07 | C70 | -10 | -4 |
| J-08 | C06 | -15 | -7 |
| J-09 | B02 | -4 | 3 |
| J-10 | B44 | -12 | 4 |
| J-11 | B25 | 10 | -6 |
| J-12 | B22 | -12 | -2 |
| J-13 | C05 | 17 | -5 |
| J-14 | C53 | 13 | -3 |
| J-15 | A06 | -3 | 31 |
| J-16 | A07 | 22 | 22 |
| J-17 | C62 | 25 | 17 |
| J-18 | C82 | 14 | 12 |
| J-19 | B40 | -12 | 12 |
| J-20 | B15 | 2 | -4 |
| K-01 | B71 * | -5 | -10 |
| K-02 | B30 * | -1 | -2 |
| K-03 | C54 | -5 | -23 |
| K-04 | C10 | -29 | 1 |
| K-05 | A32 | -12 | 4 |
| K-06 | A11 | -22 | 16 |
| K-07 | C40 | -3 | -19 |
| K-08 | C92 | -27 | -5 |
| K-09 | B09 | -9 | 1 |
| K-10 | B96 | -2 | 8 |
| K-11 | B88 | 0 | -11 |
| K-12 | B04 | 18 | 18 |
| K-13 | C65 | -5 | 23 |
| K-14 | C30 | 19 | 5 |
| K-15 | A41 | -13 | 32 |
| K-16 | A02 | 3 | 37 |
| K-17 | C78 | 24 | 10 |
| K-18 | C50 | 13 | 15 |
| K-19 | B32 | 6 | 16 |
| K-20 | B05 | 8 | 8 |
| L-01 | B06 | -20 | 22 |
| L-02 | B28 | -3 | -3 |
| L-03 | C02 | 1 | -3 |
| L-04 | C83 | -6 | -4 |
| L-05 | A40 | -14 | 0 |
| L-06 | A08 | -14 | -1 |
| L-07 | C79 | -27 | -1 |
| L-08 | C22 | -16 | -8 |
| L-09 | B50 | -10 | -2 |
| L-10 | B90 | -11 | 6 |
| L-11 | B07 | -10 | 21 |
| L-12 | B23 | -7 | 3 |
| L-13 | C72 | 36 | 12 |
| L-14 | C15 | 7 | 21 |
| L-15 | A26 | 0 | 10 |
| L-16 | A28 | -15 | 8 |
| L-17 | C77 | 7 | 17 |
| L-18 | C51 | 8 | 6 |
| L-19 | B80 | -2 | 11 |
| L-20 | B46 | 10 | 4 |
| spare | A17 * | | |
| "242" | A49 * | | |
| spare | B74 * | | |
| spare | B85 * | | |
| spare | C21 * | | |
| spare | C26 | | |

Table 3. Summary of magnet changes.

| Ring loc. | Original magnet | Present magnet |
|-----------|-----------------|----------------|
| A-01 | B16 | B77 |
| A-20 | B74 | B68 |
| B-01 | B77 | B01 |
| B-11 | B42 | B12 |
| E-11 | B89 | B31 |
| F-01 | B85 | B16 |
| F-06 | A04 | A15 |
| F-07 | C21 | C23 |
| F-11 | B68 | B91 |
| F-12 | B31 | B89 |
| G-11 | B03 | B42 |
| G-12 | B60 | B03 |
| G-15 | A49 | A23 |
| G-19 | B12 | B60 |
| H-06 | A17 | A04 |
| H-19 | B53 | B65 |
| H-20 | B81 | B67 |
| I-11 | B19 | B53 |
| I-12 | B67 | B81 |
| I-19 | B65 | B19 |
| K-01 | B30 | B71 |
| K-02 | B71 | B30 |
| spares: | A15 | A17 |
| | A23 | A49 |
| | B01 | B74 |
| | B91 | B85 |
| | C23 | C21 |
| | C26 | C26 |