

CALCULATED FORMULAS FOR CONTROLLING THE AGS TUNE

E. J. Bleser

July 1997

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy
USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

For Internal Distribution Only

Accelerator Division
Alternating Gradient Synchrotron Department
BROOKHAVEN NATIONAL LABORATORY
Upton, New York 11973

Accelerator Division
Technical Note

AGS/AD/Tech. Note No. 464

**CALCULATED FORMULAS FOR CONTROLLING
THE AGS TUNE**

E. Blesser
and
M. Mussoraffiti

July 22, 1997

CALCULATED FORMULAS FOR CONTROLLING THE AGS TUNE

AGS Accelerator Division Technical Note 455 documented the field measurements for a typical AGS high field tune quadrupole. This note documents calculations of the formulas to be used with these magnets. Figures 1 thru 6 show plots of the MAD calculated tunes versus the quadrupole currents at injection, transition, and extraction. To the accuracy used in the AGS these lines are all straight. The momentum dependence of the measured slopes is very linear. The results can be summarized in the equations:

$$\begin{aligned} P * \Delta Q_x &= m_{11} * I_h + m_{12} * I_v \\ P * \Delta Q_y &= m_{21} * I_h + m_{22} * I_v \end{aligned}$$

where:

P = the momentum in GeV/c
 ΔQ_x = the change in the horizontal tune
 ΔQ_y = the change in the vertical tune
 I_h = the current in the horizontal quadrupoles in Amperes
 I_v = the current in the vertical quadrupoles in Amperes

The table gives the results:

| | VALUE | STD |
|----------|---------|------------------|
| m_{11} | .01071 | $3.81 * 10^{-5}$ |
| m_{12} | -.00521 | $2.84 * 10^{-5}$ |
| m_{21} | -.00517 | $3.1 * 10^{-5}$ |
| m_{22} | .01072 | $2.46 * 10^{-5}$ |


These results are in good agreement with the empirical numbers used in the AGS tune control program.

It is convenient to record the inverse of these equations:

$$\begin{aligned} I_h &= 121.9908 * P * \Delta Q_x + 58.83324 * P * \Delta Q_y \\ I_v &= 59.28843 * P * \Delta Q_x + 121.877 * P * \Delta Q_y \end{aligned}$$

Q vs. Iv


Figure 4



with Ih remaining constant
P = 2.224

Q vs. Iv


Figure 5



with Ih remaining constant
P = 8.0

Q vs. Iv

Figure 6



with Ih remaining constant
P = 24.0