



Brookhaven
National Laboratory

BNL-99227-2013-TECH

C-A/AP/74;BNL-99227-2013-IR

Improvements to the RHIC Injection Kicker System

H. Hahn

June 2002

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

C-A/AP/74
June 2002

Improvements to the RHIC Injection Kicker System

H. Hahn, W. Fischer and Y. K. Semertzidis



**Collider-Accelerator Department
Brookhaven National Laboratory
Upton, NY 11973**

Improvements to the RHIC Injection Kicker System

H. Hahn, W. Fischer, and Y. K. Semertzidis
Brookhaven National Laboratory, Upton NY 11973

Executive Summary

The RHIC Design Manual lists under future improvements the possibility of filling and operating the rings with a 120 bunch pattern, corresponding to 110 bunches after allowing for the abort gap. However the present performance of the injection kicker systems will require several modifications to achieve this goal. Operation with a 90-bunch pattern instead of the standard 60-bunch pattern is already achievable without hardware modifications. In this report changes which promise, but do not guarantee, 110 bunch operation are recommended.

The major components of the RHIC injection system in each ring are the 4 kicker magnets, the thyratrons serving as switches, the thyatron trigger units, the Blumlein pulse forming coaxial tubes, and long coaxial cables between ring and power supply building. Beam measurements during the 2002 run showed a rise time of the injection systems in blue and yellow ring of 110 ns. Injection of 110 bunches was possible although with severe transverse emittance growth. Based on this experience, a system rise time of 95 ns would seem to be acceptable.

The original concept of the injection system with a transmission line kicker magnet is in principle capable of satisfying these requirements. However voltage breakdown problems forced unorthodox design changes in the kicker magnet. A detailed experimental analysis of each injection system component points to the following hardware modifications, which together promise 110 bunch operation:

- the injection kicker magnets will be terminated with 25Ω instead of the present 16Ω , promising a ~ 10 ns reduction in rise time, however thereby raising the operating voltage from ~ 31 to 36 kV.
- the home-grown thyatron trigger system consisting of DC power supply and two hard tube trigger units will be replaced by a commercial solid state trigger unit. The new unit eliminates the sensitivity to ac power rectifier fluctuations and reduces the short term pulse jitter to ~ 3 ns peak-to-peak.
- the thyatron reservoir ac supply will be replaced by a dc power supply, highly regulated to better than 0.01 V, thereby minimizing drift.
- a fiber optical connection between control room and the thyatron trigger unit will be provided, thereby allowing the operator to adjust slow drifts due to temperature changes affecting the system immediately before injection.

The above modifications have been implemented in one yellow ring kicker system with typical results documented in Fig.1. Timing jitter over ~ 7 min (102 pulses) is ~ 3 ns peak-to-peak. Drift in ~ 10 hours (nominal storage time) is 5-10 ns and will be adjusted from the control room. The overall system rise time measurement will have to wait for beam based measurements this fall.




Fig.1A. START TEST: Jitter with 102 pulses ~ 3 ns




Fig 1B. Jitter & Drift during ~ 20 h, 20,000 pulses, < 8 ns
(note drift & random triggers < 10 ns)




Fig.1C END TEST: Jitter with 102 pulses ~ 3 ns

The all-ferrite kicker magnet

The RHIC injection kicker was originally conceived as a transmission line magnet with a 25Ω characteristic impedance, which was achieved by inserting high- permittivity ($\epsilon > 100$) ceramic blocks between the ferrite blocks.[1] The magnets were successfully used in the 1997 Sextant Test and during the 2001 run. Matched operation of the kicker required ~ 38 kV, a value which was achieved in the laboratory but could not be reliably maintained over million of pulses. Long-term operation without breakdown was improved by mismatching with a 16Ω termination thereby reducing the operating voltage to ~ 30.5 kV but at the price of increasing the overall kicker rise time.

With the goal of further increasing the reliability and of reducing the rise time of the kicker system, an all-ferrite kicker magnet was studied and adopted for the 2002 run. [2] In this version, the ceramic blocks were replaced by ferrite, but in order to minimize the conversion cost, the overall geometry and in particular the magnet frame was retained. No magnet failure occurred in this run with the all-ferrite kickers, whereas previously three hybrid magnet needed to be replaced. Results of beam-based rise time measurements are shown in Fig. 2 & 3 for the hybrid & the all-ferrite magnets terminated with 16Ω .

It was not obvious that the converted all-ferrite magnet would retain transmission line characteristics rather than adopt those of a lumped magnet. The effective rise time of a matched transmission line magnet consists of the rise time of the incoming pulse plus the transit time in the kicker. If the magnet is mismatched with a low impedance to gain current and magnetic field at lower voltage, the effective rise time is further increased by the transit time of the reflected pulse. A direct measurement of the magnetic field confirmed the transmission line properties.

The time dependent magnetic field of the all-ferrite kicker was measured using the Faraday effect (1846), which describes the phenomenon that the polarization of a light beam traversing a crystal is changed by an applied magnetic field. This method was successfully developed for the magnetic measurement of a fast non-ferritic kicker for the muon g-2 experiment [3]. In the present setup, a green Ar laser light was used together with an artificially grown TGG crystal which has a large Verdet constant.

The rise time of the magnetic field was measured at two positions in the magnet, ~ 80 cm apart, with one ~ 20 cm down-stream from the input and the second ~ 20 cm up-stream from the terminating resistor. The magnetic field at the magnet input are given in Fig. 4 for 16Ω and 25Ω terminations. The magnetic field at the magnet center and magnet output is shown in Fig. 5 for a 25Ω termination. The transit time to cover the 80 cm is $\sim 24\sqrt{2}$ ns in both cases. Since the propagation velocity equals the light velocity times the ratio of characteristic impedance/ Z_0 , one finds a characteristic impedance of $\sim 40 \Omega$.

[1] H. Hahn, N. Tsoupas and J. E. Tuozzolo, Proc. 1997 PAC, Vancouver, BC, p.213

[2] H. Hahn, W. Fischer, V.I. Ptitsyn, J.E. Tuozzolo, Proc. 2001 PAC. Chicago, IL, p. 3705

[3] E. Efsthadiadis et al, . submitted to Nucl. Intsr.&Methods.





Fig. 2. Beam-based measurement of hybrid kicker magnet with 16Ω termination





Fig.3. Beam-based Measurements of the all-ferrite kicker magnet with 16 Ω termination

The full deflecting magnetic field is reached after the current reflected at the terminating resistor has reached the magnet input. The corresponding total current in the kicker magnet is given by

$$I_K = \frac{2}{Z_K + Z_0} \left(1 + \frac{Z_K - Z_L}{Z_K + Z_L} \right) U_0$$

where U_0 represent the Blumlein source voltage and Z_0, Z_K, Z_L is the impedance of the source, of the kicker, and of the terminating load respectively.




Fig. 4. Magnetic field at 20 cm downstream from the magnet input (top for 16Ω and bottom for 25 Ω termination; note scales differ by ×1.5)





Fig.5 Magnetic field at the middle and at 20 cm upstream from the magnet output (with 25 Ω termination)

The total deflecting current is required to be ~ 1.35 kA at the reduced injection energy of the 2002 run. In the original magnet with 25Ω characteristic impedance, this corresponded to a 34 kV source voltage. The voltage requirement in the all-ferrite magnet for a matched termination of 40Ω becomes an excessive 44 kV. Mismatched operation with 16Ω and 25Ω reduces the voltage to about 31 and 36 kV respectively.

The total injection system rise time was measured at the beginning of the 2002 run to be 110 ns with the all-ferrite magnet terminated into 16Ω . The rise time is minimized for the matched magnet and can be estimated from the field in Fig. 5 to be 86 ns ($1.5 \times 24 + 50$). Operation with 25Ω is projected to reduce the rise time by ~ 10 ns, but verification by beam measurements will be necessary.

Thyratron Trigger Unit

The switch tube in the Blumlein Pulsar is a two-gap deuterium-filled thyratron, EEV 1168C (70 kV, 4 kA). Proper operation of the thyratron requires a $\sim 2 \mu\text{s}$ pre-trigger on grid 1 (G1) and a $0.5 \mu\text{s}$ discharge trigger on grid 2 (G2), delay by 0.5 to 3 μs . Both triggers, 500 V on G1 and 1.5 kV on G2, as well as a negative 150 V to hold-off the anode voltage, will be provided by a commercial trigger unit EEV MA2709A (a.k.a. "black box"). In the past runs, G2 was triggered with 5 kV to minimize current rise time, however at the expense of exceeding significantly the manufacturer's limit of 2 kV. The timing jitter of the thyratron is quoted as 1 ns typical, with 5 ns maximum. The trigger timing shift of the commercial trigger unit was tested to be less than 1 ns against line changes of 10 % (i.e. 105 - 120 V).

The thyratron data sheet offers three options for Grid 0. In the previous runs, G0 was dc primed with 100 mA. In order to eliminate one power supply (and dependence on its regulation), the G0 grid will be connected to the cathode. The third option, G0 triggered from G1, was explored but showed no measurable improvements,


Each kicker unit in the ring is powered over 100 m of cable from one Blumlein power supply with its own thyratron. The EEV trigger unit was tested on the thyratron in single pulse and burst mode, the latter simulating the injection cycle involving the sequence of 4 bunches at a 30 Hz rate. The anode voltage is applied with a rise time of less than 30 ns, after which the charging is stopped by the "stop" trigger. The discharge trigger must follow in less than 32.3 ns after the cycle start. It was verified that the discharge timing follows the discharge trigger without being impacted by the charging time, although the current amplitude can be reduced by a short charging time. The current in the kicker terminating resistor is shown in Fig. 6.

The thyratron data sheet gives a nominal rate of rise of anode current of better than 150 A/ns but the actual value depends to a large extent on the external circuit. Thus, the rate of rise in the Blumlein pulser is measured to be ~ 30 A/ns at operating conditions, or 45 ns from 0 to 1.35 kA. However, the full rate of anode current rise is only reached after the anode delay time, defined as 0 to 25 %, which in the data sheet is given as typically

100 ns. In certain power supply configurations, this delay time is minimized by a saturating inductor, but here it was not implemented

The evolution of the current in the terminating resistor after application of the G2 trigger is shown in Fig. 6. From Fig. 6A follows a delay of ~65 ns until 2% of peak current is reached and from Fig.6B follows an effective pulse delay of ~85 ns, from 2% to useable amplitude. Note however, that the signal is transported from the magnet to the power supply room by a ~100 m cable resulting in an apparently slower rise time. The best measure of the rise time is that of the magnetic field close to the termination shown in Fig.5 B, which gives a similar value.

hp running-awaing trigger



hp running-awaing trigger




Fig. 6. Kicker termination current delay after G2 trigger at 2.7 μ s.
(Note that the bottom, "B", is shifted by 70 ns)

Reservoir Voltage Power Supply

The reservoir voltage is the most critical parameter in the quest for trigger stability, both jitter and drift. The dependence of current timing on the dc reservoir voltage is shown in Fig. 7. The data sheet recommends that the reservoir voltage be stabilized to ± 0.05 V, which according to our measurements corresponds to typically ± 3 ns. New DC power supplies, 10 V & 10 A with 0.01 V regulation will be used

Achieving the full anode current determines the minimum reservoir voltage. Operation at the highest level compatible with maintenance of the anode voltage hold-off is recommended. The kicker system runs at a relatively low voltage, well below the 70 kV peak, so that the reservoir voltage can go to the manufacturer's limit of 6.5 V.




Fig. 7. Anode current change with reservoir voltage from 5.0 to 6.3 V (each line from 10 pulses)

Changing the heater voltage by 10 % has no short term effect on the trigger time, but may contribute to a temperature induced drift. The heater is stabilized by a Solatron transformer.

Acknowledgements

It is a pleasure to acknowledge informative discussions with Jon Sandberg. Technical Support was provided by Wu Zhang and the members of the Pulsed Power Group, especially Kenneth Hartmann and David Warburton. Last, but not least, the authors would like to thank R. Burns for setting up the magnetic measuring system.