

Simulation of soil activation of gold-ions hitting a tungsten target at J7 of AGS

K. Yip

December 2010

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

For Internal Distribution Only

Experimental Support and Facilities Division
Collider-Accelerator Department
BROOKHAVEN NATIONAL LABORATORY
Upton, New York 11973-5000

ES&F Division Technical Note # 168

**Simulation of Soil Activation of Gold-Ions Hitting a
Tungsten Target at J7 of AGS**

K. Yip

December 1, 2010

Simulation of soil activation of gold-ions hitting a tungsten target at J7 of AGS

December 1, 2010

Kin Yip

Experimental Support & Facilities Division, Collider-Accelerator Department

I. Introduction

This time, the concern is the soil activation due to gold beam hitting a tungsten target of at J7. Simulations with MCNPXⁱ with the gold ions of kinetic energy of 8.8648684×10^{19} GeV or 1746379.07480 GeVⁱⁱ have been used to find the fluxes so that one may estimate the soil activation.

II. Setup

Figure 1 shows the cross-section of the geometry setup (perpendicular to the beam direction which is also the z-axis) in the MCNPX simulation. In the simulation, y-axis is pointing towards the sky and x-axis is the remaining lateral dimension. The red area indicates the concrete wall which is of 1 foot thick. Outside the concrete wall, it's the soil (blue). In the simulation, I measure the fluxes of neutrons and protons inside the volume where x is between 10 cm and 20 cm (ie. a thickness of 10 cm) behind the concrete wall (which is my typical way in soil activation problems).

The tungsten target is 1 inch x 1 inch with a thickness of 0.001 inches (or $2.54 \times 2.54 \times 0.00254$ cm³) and the front face of the tungsten has the origin of the setup (0, 0, 0), which is also where the pencil beam of gold ions hit.


12/01/10 17:04:17
 J7 Soil Activation problem

UP RT DN LF Origin .1 .2 Zoom 5. 10

probid = 12/01/10 17:03:07
 basis: XY
 (1.000000, 0.000000, 0.000000)
 (0.000000, 1.000000, 0.000000)
 origin:
 (54.51, 142.93, 0.00)
 extent = (381.63, 381.63)

cel
 imp
 rho
 den
 vol
 fcl
 mas
 pwt
 mat
 tmp
 wwn
 ext
 pd
 dxc
 u
 lat
 fill
 ijk
 nonu
 pac
 tal
 PAR
 N

Edit cel 2
 Cell 2
 xyz = 54.51, 142.93, 0.00
 CURSOR SCALES 0 CellLine
 PostScript ROTATE
 COLOR mat
 XY YZ ZX
 LABEL sur off
 MBODY on



Click here or picture or menu

Redraw Plot> End

Figure 1: A picture of the MCNPX geometry used in the simulation. The blue area indicates the soil and the red area indicates the concrete wall. The place with the mark of “1” is where the tungsten target is.

III. Results

Figure 2 shows the neutron fluxes integrated over x from 10 cm to 20 cm in the y-z plane in soil. After running over 130000000 events, the maximum neutron flux is 7.5181×10^{-8} (statistical error of $\pm 3.86\%$) cm^{-2} per incident gold ion and the maximum proton flux is 1.8334×10^{-8} (statistical error of $\pm 7.92\%$) cm^{-2} per incident gold. As they may not peak in the same place but conservatively, their sum gives a maximum flux is $\sim 9.351510^{-8} \text{cm}^{-2}$ per incident gold.

Assuming that the interaction length of 34 cm and the above flux, using the soil activation webpage calculators that I have written at <http://www.c-ad.bnl.gov/kinyip/Radiation/Calculators.html>, it would take about 9.2×10^{16} gold ions to get to 1000 pCi/L of Tritium (which is 5% of the drinking water standard).




Figure 2: shows the neutron fluxes (cm^{-2} per incident gold ion) in the y-z plane in the soil of x from 10 cm to 20 cm behind the wall closer to the target.

IV. Appendix

The MCNPX input file is as follows :

Soil Acviation problem

```
c
c --- (0, 0, 0) is the center of the Tungsten target
c
c Tungsten target of inch/1000 thick
c
  1 3 -19.30 -1    imp:e,n,p,h,#,d,t,s,a=1
c
c vacuum inside tunnel
c
  2 0 1 -11      imp:e,n,p,h,#,d,t,s,a=1
c
c concrete wall
c
  3 4 -2.35 11 -12  imp:e,n,p,h,#,d,t,s,a=1
c
c the soil
c
  4 2 -1.9 12 -20   imp:e,n,p,h,#,d,t,s,a=1
c
c
c -- don't care area
  991 0 12 20      imp:e,n,p,h,#,d,t,s,a=0
c =====
c =====
c
c Tungsten target of inch/1000 thick
c
  1 rpp  -1.27 1.27 -1.27 1.27 0. 0.00254
c
c
c inner wall
c horizontal (7+11 feet)
c floor to ceiling 17' 9" (target 5' from floor)
c
  11 rpp  -213.36 335.28 -152.4 388.62 -100. 1900.
c
c outer wall (including all concretes at the side but only a small portion on floor and ceiling)
c
  12 rpp  -243.84 365.76 -170.0 400.0 -100. 1900.
```

```

c
c
c Soil
c
  20 rpp -280.  400.  -170.  400.  -100.  1900.
c
c
c =====
c =====
c
c
c Materials
c
c
c
c Soil
c
m2  1001 .084 8016 .611 14028 .28130  14029 .01424 14030 .00946
c
c Tungsten
m3  74182 0.26530 74183 0.14331 74184 0.30679 74186 0.28460
c
c
c concrete
m4 1001 0.1686 8016 0.5762 13027 0.0219 14028 0.1935 14029 0.0098 14030 0.0065
    20000 0.0191 26056 0.0044
mx4:h j j j j j j 20040 j
mx4:p j j j j j j 20040 j
sdef erg=1746379.07480 par=79197 dir=1 vec=0 0 1 pos = 0.0 0.0 -0.01
    axs 0 0 1 wgt=1
c
c DBCN 623487
c
c
phys:e 100000.
phys:n 1747000. 5j 1
phys:h 1747000. 5j 1
phys:d 1747000. 5j 1
phys:t 1747000. 5j 1
phys:a 1747000. 5j 1
phys:s 1747000. 5j 1
phys:# 1747000.
phys:p 1747000. 2j 1
cut:n j 20.0
cut:h j 20.0
c
c mode n h

```



```
c
mode enph#dtsa
c
c
c
nps 50000000
print
c
c
prdmp 2j 1
c
tmesh
rmesh1:n flux
CORA1 -263.84 -253.84
CORB1 -170. 99i 400.
CORC1 -100. 189i 1800.
rmesh1:h flux
CORA11 -263.84 -253.84
CORB11 -170. 99i 400.
CORC11 -100. 189i 1800.
rmesh2:n flux
CORA21 375.76 385.76
CORB21 -170. 99i 400.
CORC21 -100. 189i 1800.
rmesh3:h flux
CORA31 375.76 385.76
CORB31 -170. 99i 400.
CORC31 -100. 189i 1800.
endmd
```

ⁱ MCNPX, version 2.7.c, <http://mcnpx.lanl.gov>.

ⁱⁱ The total and kinetic energies can be found in Section 7 on page 9 of the document written by Kip Gardner: <http://www.cadops.bnl.gov/AGS/Operations/GardnerNotes/RhicRunParameters/barp10.pdf>