

RHIC May 99 Commissioning Optics

S. Tepikian

May 1999

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

RHIC May 99 Commissioning Optics

S. Tepikian, BNL, Upton, NY

The following is a list of parameters for the May 1999 commissioning optics, denoted by "may99comm". This optics is different from the nominal injection optics since there will not be any bipolar power supplies yet. The β^* will not be changeable at this time. However, the tunes, chromaticities and many other parameters can be changed during this commissioning. Below is a list of optics parameters for the May 1999 commissioning exercise:

Parameter Symbol	Comment	Value
C	Circumference	3833.845181 m
α	Momentum Compaction Factor	0.0189165
γ_T	Gamma Transition	22.992134
$\beta_x(max)$	The maximum Beta function, x	444.718 m
$\beta_y(max)$	The maximum Beta function, y	477.032 m
$\eta_x(max)$	The maximum Dispersion, x	1.932 m
$\eta_x(min)$	The minimum Dispersion, x	-0.411 m
ν_x	The x tune	28.19
ν_y	The y tune	29.18

RHIC — May, 1999 Commissioning Lattice

$\nu_x = 28.19$ $\nu_y = 29.18$ $\beta^* = 2.93187$ FILE = rhblue.optics

