

RHIC Aperture

G. Parzen

July 1984

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

RHIC Aperture

George Parzen

BNL, July 25, 1984

RHIC Aperture

©

G. Parzen, 7/25/84

Aperture Considerations

Previous Considerations

Aperture $\rightarrow \pm 26$ mm

Primarily, Intra beam Scattering at $\gamma = 30$

Space for $6 \sigma_x$ betatron oscillations

$$\text{Aperture} = 2.5 \sigma_E \pm 6 \sigma_x$$

+ closed. orbit error

New Considerations

Calculation of effects of

error multipoles — b_1, a , especially

Effects are correctable —

Aperture vs. Correction Systems Choice

b₁ @ Multipoles

$$b_1 = \{ b_{1,coil}^2 + b_{1,iron}^2 \}^{\frac{1}{2}}$$

Present Magnet

$$b_{1,coil} = 13.5 \times 10^{-5} / \text{cm}$$

$$b_{1,iron} = 15.4 \times 10^{-5} / \text{cm}$$

$$b_1 = 20.5 \times 10^{-5} / \text{cm}$$

$$b_{1,CBA} = 7 \times 10^{-5} / \text{cm}$$

Collared Magnet

$$R_{FE} = 5.08 \rightarrow 7.08 \text{ cms}$$

$$b_{1,iron} = 2 \Delta \times \frac{R^2}{R_{FE}^4} \frac{1}{1+R/p}, \quad p = R_{FE}^2 / R$$

$$= 5.1 \times 10^{-5}$$

$$b_{1,coil} \approx 16 \times 10^{-5}$$

$$b_1 = 16.8 \times 10^{-5} \quad (18\% \text{ reduction})$$

What is actual b₁?

(2)

Random $\Delta B_x / B_x$ (additional aperture required)

Random $b_1 \rightarrow$ half-integer stop-band, ΔV
 \rightarrow random $\Delta B_x / B_x$

Present Magnet ($b_1 = 20.5 \times 10^{-5}$)

$$\Delta V_{rms} = 1.029, \quad \Delta B_x / B_x = .19 \text{ rms}$$

$$\Delta B_x / B_x = .49 \text{ (95% probability)}$$

$$\text{at } \gamma = 30, \quad \Delta(6 \sigma_H) = 6 \times 3.1 \times .24 = \underline{\underline{4.5 \text{ m.m.}}}$$

Correction: correction of stopband
reduces $\Delta B_x / B_x$ by $3/4$
(b_0 -magnet selection.)

Random Dispersion

Random $b_1 \rightarrow \Delta B_y = B_0 b_1 X_p \Delta P/P$
 $\rightarrow \Delta X_p$

Present Magnet ($b_1 = 20.5 \times 10^{-5}$)

$$\Delta X_p \Delta P/P = 1.75 \text{ mm for } \Delta P/P = .01 \text{ in } \Phi F. (\text{rms})$$

$$\text{at } \gamma = 30, \quad \Delta P/P = .005, \quad \Delta(2.5 \sigma_E) = 2.5 \times 1.75 \times .5 \\ = \underline{\underline{2.2 \text{ mm}}}$$

Correction: Difficult (?)

3

Chromatic $\Delta B_x/B_x$

$$\beta_x = \beta_x (\Delta P/P)$$

$$\frac{\Delta \beta_x}{\beta_x} = .5 \quad \text{at} \quad \Delta P/P = .01$$

$$= .125 \quad \text{at} \quad \Delta P/P = .005$$

$$\gamma = 30, \quad \Delta (6 \sigma_H) = 6 (3.1) \times .125 = \underline{\underline{2.3 \text{ mm}}}$$

Chromatic χ_p

$$\chi_p = \chi_p (\Delta P/P)$$

$$\Delta \chi_p / \chi_p = .08 \quad \text{at} \quad \Delta P/P = .01$$

$$= .04 \quad \Delta P/P = .005$$

$$\gamma = 30 \quad \Delta (2.5 \sigma_E) = 2.5 (2.8) (.04) = \underline{\underline{.28 \text{ mm}}}$$

Aperture Required

	Present Magnet	Collared Magnet	Present Magnet	Collared Magnet
γ	30	30	γ_{\pm}	γ_{\pm}
Random $\Delta B_x/B_x$	4.5	3.7	1.1	.90
Random χ_p	2.2	1.8	4.4	3.6
Chromatic $\Delta B_x/B_x$	2.3	2.3	1.1	1.1
Chromatic χ_p	.3	.3	1.3	1.3
Total	7.6	6.7	6.9	6.1

Good Field

Aperture Required $\rightarrow \pm 33$ mm