

## Temporary Cost Savings in Power Supplies

H. Hahn

August 1985

Collider Accelerator Department  
**Brookhaven National Laboratory**

**U.S. Department of Energy**

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

## **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Temporary Cost Savings in Power Supplies

H. Hahn

BNL

8/1/85

## Temporary Cost Savings in Power Supplies

The Accelerator Physics Group will study the impact on the initial RHIC performance which would be caused by postponing installation of certain power supplies. In this exercise one assumes that the magnet system and electrical bus-work is built according to the present design and that all power supplies can simply be added at a later time to restore full performance.

Postponement of the following power supplies will be considered:

- 50% of closed orbit power supplies in the arcs
- Elimination of some and/or reduction in strengths of the  $a_1/b_1$  power supplies (shuffling of dipoles according to quadrupole errors is assumed)
- Fixed  $\beta^* = 6$  m operation
- Reduce tune variation to  $\pm 0.25$
- Fixed head-on crossing angle operation (unequal species?)
- No octupole power supplies
- Eliminate non-linear random error corrector power supplies
- Eliminate inner/outer insertion quadrupole trim power supplies

The Magnet Division will estimate the cost saving due to each of the above items.