

Twiss Functions and Beam Sizes of the RHIC Insertion

S. Tepikian

April 1994

Collider Accelerator Department
Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Twiss Functions and Beam Sizes of the RHIC Insertion

S. Tepikian
April, 1994

The twiss functions and beam profiles of the RHIC insertion are presented. Figures 1-4 show the root of the beta functions in both the radial, x, and vertical, y, planes as well as the radial dispersion. Furthermore, a schematic of the beam line is shown scaled along the beam direction. The bars above the line are the focusing quadrupoles while those below the line denote defocusing, the larger boxes denote the dipoles and the smaller boxes represent the sextupoles. Additional information can be found in the subtitle. These four figures differ in the choice of $\beta^* = 1, 2, 6$ and 10 m respectively, which is the beta function at the crossing point given at $S = 0$.

Figure 5 is an expanded view of the injection region with $\beta^* = 10$ m, the insertion optics for injection.

Figures 6 and 7 show the twiss function and beam size through the triplets and crossing dipoles. The insertion optics is tuned to $\beta^* = 1$ m which will be the case for storage mode. Similarly, Figures 8 and 9 are for $\beta^* = 10$ m. The beam size is calculated from:

$$\sigma_{x,y} = \sqrt{\frac{\epsilon_N \beta_{x,y}}{6\pi (\beta\gamma)}}$$

RHIC Insertion Functions

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 1.00456$ FILE = rhins1.optics




Figure 1

Time: Thu Apr 21 11:23:55 1994 Last file modify time: Thu Apr 21 11:18:24 1994

RHIC Insertion Functions

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 2.00059$ FILE = rhins2.optics




Figure 2

RHIC Insertion Functions

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 5.99944$ FILE = rhins3.optics




Figure 3

RHIC Insertion Functions

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 9.99985$ FILE = rhins4.optics




Figure 4

RHIC Insertion Functions

$\nu_x = 28.19$ $\nu_y = 29.18$ $\beta^* = 9.99985$ FILE = rhinj.optics




Figure 5

RHIC Insertion Functions

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 1.00456$ FILE = rhtrp1.optics




Figure 6

RHIC Beam Profiles

$\nu_x = 28.19$ $\nu_y = 29.18$ $\beta^* = 1.00456$ FILE = rhtrp1.optics





Figure 7

RHIC Insertion Functions

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 9.99985$ FILE = rhtrp2.optics




Figure 8

RHIC Beam Profiles

$v_x = 28.19$ $v_y = 29.18$ $\beta^* = 9.99985$ FILE = rhtrp2.optics





Figura 9