

BNL-101687-2014-TECH RHIC/AP/31;BNL-101687-2013-IR

Insertion Quadrupole Length Requirement

S. Y. Lee

June 1986

Collider Accelerator Department Brookhaven National Laboratory

U.S. Department of Energy

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No.DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

RHIC-AP-31

•

Insertion Quadrupole Length Requirement

S. Y. Lee

BNL

June 18, 1986

!

S. Y. Lee BNL June 18, 1986

In the following table, the magnet length is obtained from the assumption that the quadrupoles have the following properties:

B' = 57.36 T/m for Q1-Q4B' = 67.4 T/m for Q5-Q9

The insertion of the RHIC lattice is then tuned to vary beta* from 3m to 10m at the tune of 28.826 and to vary the tune of the machine from 27.5 to 29.5 for beta* = 6m. The column 3 in the following table show the maximum factor needed to reach the tuning capability mentioned with the assumed gradient of these quadrupoles. When the factor is 1.0, the quadrupole is fully excited at beta* = 3m and q = 28.826.

Table 1.	Quadrupole	length requirement.	•
	Magnet	Factor due	Total
	length(m)@	beta & q	magnet
	beta*=3m	variation	length(m)
LHQ1	1.50062	1.00000	1.501
LHQ2	2.42357	1.01000	2.424
LHQ3	1.13620	1.01414	1.152
LHQ4	0.97139	1.46057	1.419
LHQ5	1.03076	1.47605	1.542
LHQ6	1.20957	2.00569	2.458
LHQ7	1.58930	1.00000	1.610
LHQ8	1.37806	1.00000	1.396
LHQ9	0.99910	1.00000	1.012