

# Analytic Evaluation of Tune Shift Due to Octupole Corrections

M. J. Rhoades-Brown

September 1989

Collider Accelerator Department  
**Brookhaven National Laboratory**

**U.S. Department of Energy**

USDOE Office of Science (SC)

Notice: This technical note has been authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-76CH00016 with the U.S. Department of Energy. The publisher by accepting the technical note for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this technical note, or allow others to do so, for United States Government purposes.

## **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

AD/RHIC/AP-85/Revised

Analytic Evaluation of Tune Shift Due to Octupole Correctors

M.J. Rhoades-Brown

BNL

September 12, 1989

The tune shifts due to the octupole correctors are tabulated below. They were requested by G. Raka as part of his study on transverse instabilities in RHIC. The tune shifts were calculated with an analytic formula due to Jackson<sup>1</sup>. In this formalism the horizontal component of the octupole tune shift is given by,

$$\delta\nu_x^{(3)} = \frac{3}{2} b_3 N \delta^2 \langle \beta_x X^2 \rangle + \frac{\epsilon_x}{4} \langle \beta^2 \rangle \quad (1)$$

where  $\delta$  is the momentum deviation,  $N$  is the number of octupole correctors in the ring (138),  $b_3$  is the multipole coefficient in dipole units,  $\epsilon_x$  is the horizontal emittance divided by  $\pi$ , and the averages  $\langle \rangle$  are defined for a single octupole corrector by

$$\langle \beta_x X_p^2 \rangle = \frac{L}{2\pi\rho} \frac{1}{2} (\beta_x X_p^2|_F + \beta_x X_p^2|_D) \quad (2)$$

$$\langle \beta_x^2 \rangle = \frac{L}{2\pi\rho} \frac{1}{2} (\beta_x^2|_F + \beta_x^2|_D) \quad (3)$$

$L$  is the length of a single octupole corrector (.5m), and  $\rho$  is the dipole bending radius (243.241m). For RHIC, the lattice functions  $\beta_{x F}$  &  $\beta_{x D}$  have the values 49.73m & 9.04m, and  $X_{p F}$  &  $X_{p D}$  have the values 1.59m & .78m respectively. With these values (1) becomes

$$\delta\nu_x^{(3)} = b_3 (5.61\delta^2 + 27.30\epsilon_x) \quad (4)$$

The integrated strength of the octupole correctors is quoted<sup>2</sup> as  $B'''L=3600T/m^2$ . Utilizing the relation between  $B'''$  and the Taylor series expansion coefficient  $b_3$ ,  $B'''=n!B_0b_n$ , it is found

$$b_3 = \frac{B'''}{6B_0} = \frac{1.2 \times 10^3}{B_0} \frac{T}{m^3} \quad (5)$$

where  $B_0$  is the dipole field.

Table I

Energy	10.4	30.0	100.00
$\delta (\times 10^{-4})$	$\pm 10.2$	$\pm 8.3$	$\pm 3.1$
$\epsilon_x^N$ $\pi$ mm mrad	10	10	10
$\epsilon_x$ $\pi$ mm mrad	.82	.3	.093
$B_o$ T	.35	1.15	3.45
$\Delta\nu_x (\times 10^{-3})$	96.76	12.58	1.07

---

References

- (1) A. Jackson, "Tune Shifts and Compensation from Systematic Field Components", SSC Report No. SSC-107.
- (2) Conceptual Design of Relativistic Heavy Ion Collider RHIC, May 1989, BNL52195.